

Kraamzorg bij huisbevallingen

**MATERNITY HOME HELP
AND HOME DELIVERIES**

Tabellen

Tables

H. P. VERBRUGGE

Lijst van tabellen

- 1 Hospitalisatie, perinatale en zuigelingensterfte, 1965
- 2 Geborenen naar plaats van bevalling, 1952–1967
- 3 Hospitalisatie en kraamzorg per provincie, 1952–1967
- 4 Hospitalisatie naar type ziekenhuis, 1966
- 5 Hospitalisatie naar gemeentegrootte, 1952–1966
- 6 Geborenen naar gemeentegrootte en aard van verloskundige hulp, 1952–1966
- 7 Geborenen naar gemeentegrootte en aard van kraamzorg, 1962 & 1965
- 8 Kraamcentra naar kruisorganisatie, 1943–1967
- 9 Leiding van kraamcentra, 1949–1966
- 10 Gediplomeerde kraamverzorgsters en leerlingen, 1950–1967
- 11 Staf, verzorgsters en verzorgingen, 1950–1966
- 12 Geborenen naar aard van kraamzorg, 1953–1967
- 13 Vormen van kraamzorg naar provincie, 1967
- 14 Plaats van bevalling en verloskundige hulp, 1954–1965
- 15 Lasten en baten van de kraamzorg per verzorgingsdag, 1951–1968
- 16 Componenten van perinatale sterfte naar plaats van bevalling, 1920–1965
- 17 Doodgeboorte naar plaats van bevalling, 1950–1965
- 18 Eerste week sterfte naar plaats van bevalling, 1950–1965
- 19 Perinatale sterfte naar plaats van bevalling, 1950–1965
- 20 Componenten van perinatale sterfte bij ziekenhuis- en huisbevallingen, 1953–1965
- 21 Componenten van perinatale sterfte naar plaats van bevalling, 1950–1965
- 22 Enquête naar perinatale sterfte onder groep onbekenden, 1964
- 23a Geborenen naar leeftijd van moeder, 1956–1965
 - b Geborenen naar pariteit, 1956–1965
- 24 Geborenen naar leeftijd van de moeder en pariteit, 1962/1963 & 1964/1965
- 25a Perinatale sterfte naar leeftijd van moeder, 1962/1963 & 1964/1965
 - b Perinatale sterfte naar pariteit, 1962/1963 & 1964/1965
- 26 Perinatale sterfte naar leeftijd van moeder en pariteit, 1962/1963 & 1964/1965
- 27 Frequentie van tweelingkinderen, 1955–1965
- 28 Tweelingkinderen en doodgeboren tweelingkinderen naar plaats van geboorte, 1955–1964
- 29 Doodgeboorte en perinatale sterfte van tweelingkinderen, 1955–1965
- 30 Levendgeboren eenlingen en tweelingen naar geboortegewicht, 1956–1964
- 31 Eerste week sterfte van eenlingen en tweelingen naar geboortegewicht, 1956–1964
- 32 Geborenen, perinatale sterfte en hospitalisatie naar gemeentegrootte, 1963/1964
- 33 Geborenen en perinatale sterfte naar inkomengroep, 1963/1964
- 34 Perinatale sterfte naar aard van verloskundige hulp, 1962

- 35 Geborenen en perinatale sterfte naar wijze van assistentie van arts of vroedvrouw, 1964
- 36 Kraamvrouwensterfte in relatie tot hospitalisatie en geboortecijfer, 1960/1962 & 1963
- 37 Kraamvrouwensterfte naar plaats van overlijden, 1950-1966
- 38 Kraamvrouwensterfte in kraamzorggroep en in Nederland, 1950-1966
- 39 Hospitalisatie in kraamzorggroep, 1964-1966
- 40 Eerste week sterfte naar plaats van overlijden, 1964-1966

List of tables

- 1 Hospitalization at birth, perinatal and infant mortality, 1965
- 2 Births by place of confinement, 1952–1967
- 3 Hospitalization and maternity home help by province, 1952–1967
- 4 Hospitalization by type of hospital, 1966
- 5 Hospitalization by size of municipality, 1952–1966
- 6 Births by size of municipality and type of obstetrical care, 1952–1966
- 7 Births by size of municipality and type of maternity care, 1962 & 1965
- 8 Maternity home help centres by cross society, 1943–1967
- 9 Staff of maternity home help centres, 1949–1966
- 10 Qualified maternity home helps and pupils, 1950–1967
- 11 Staff, maternity home helps, attendances, 1950–1966
- 12 Births by type of maternity care, 1953–1967
- 13 Types of maternity home help by province, 1967
- 14 Place of delivery and obstetrical aid, 1954–1965
- 15 Liabilities and profits of maternity home help per day, 1951–1968
- 16 Components of perinatal mortality by place of confinement, 1920–1965
- 17 Stillbirths by place of confinement, 1950–1965
- 18 First week mortality by place of confinement, 1950–1965
- 19 Perinatal mortality by place of confinement, 1950–1965
- 20 Components of perinatal mortality in hospital and home deliveries, 1953–1965
- 21 Components of perinatal mortality by place of confinement, 1950–1965
- 22 Survey on perinatal mortality among insufficiently-registered newborns, 1964
- 23a Births by age of mother, 1956–1965
 b Births by parity, 1956–1965
- 24 Births by age of mother and parity, 1962/1963 & 1964/1965
- 25a Perinatal mortality by age of mother, 1962/1963 & 1964/1965
 b Perinatal mortality by parity, 1962/1963 & 1964/1965
- 26 Perinatal mortality by age of mother and parity, 1962/1963 & 1964/1965
- 27 Frequency of twin births, 1955–1965
- 28 Twins and stillbirths in twins by place of delivery, 1955–1964
- 29 Stillbirth and perinatal mortality of twin births, 1955–1965
- 30 Single and twin live births by birth weight, 1956–1964
- 31 First week mortality in single births and twin births by birth weight, 1956–1964
- 32 Births, perinatal mortality and hospitalization by size of municipality, 1963/1964
- 33 Births and perinatal mortality by income group, 1963/1964
- 34 Perinatal mortality by type of obstetrical care, 1962

- 35 Births and perinatal mortality by type of assistance of family doctor or midwife, 1964
- 36 Maternal mortality in relation to hospitalization and birth rate, 1960/1962 & 1963
- 37 Maternal mortality by place of death, 1950-1966
- 38 Maternal mortality in maternity home help group and in the Netherlands, 1950-1966
- 39 Hospitalization in maternity home help group, 1964-1966
- 40 First week mortality by place of death, 1964-1966

HOSPITALISATIE, PERINATALE EN ZUIGELINGENSTERFTE

1

Hospitalization at birth, perinatal and infant mortality

Specified countries, 1965

| countries | hospital- ization % | per 1000 births | |
|-----------------|---------------------------|------------------------|---------------------|
| | | perinatal mortality | infant mortality |
| Sweden | 99.9 | 19.7 | 13.3 |
| Czechoslovakia | 98.2 | 22.9 | 25.3 |
| Norway | 98.0 | 21.5 | 16.8 |
| U.S.A. | 97.4 | 28.1 | 24.7 |
| Belgium | 92.6 | 27.5 | 24.1 |
| France | 92.0 | 27.8 | 22.0 |
| West-Germany | 82.8 | 28.6 | 23.8 |
| England & Wales | 72.5 | 26.9 | 19.0 |
| Denmark | 65.2 | 23.9 | 18.7 |
| Netherlands | 31.4 | 23.1 | 14.4 |

GEBORENEN NAAR PLAATS VAN BEVALLING

2

Births by place of confinement

NETHERLANDS, 1952-1967

| year | numbers | | | percentages | | |
|------|---------|----------|---------|-------------|----------|------|
| | total | hospital | home | total | hospital | home |
| 1952 | 237,266 | 52,541 | 184,725 | 100 | 22 | 78 |
| 1953 | 233,002 | 52,455 | 180,547 | 100 | 23 | 77 |
| 1954 | 233,256 | 53,997 | 179,259 | 100 | 23 | 77 |
| 1955 | 234,221 | 56,017 | 178,204 | 100 | 24 | 76 |
| 1956 | 235,472 | 59,540 | 175,932 | 100 | 25 | 75 |
| 1957 | 237,907 | 62,324 | 175,583 | 100 | 26 | 74 |
| 1958 | 240,878 | 63,596 | 177,282 | 100 | 26 | 74 |
| 1959 | 246,396 | 66,882 | 179,514 | 100 | 27 | 73 |
| 1960 | 242,746 | 66,716 | 176,030 | 100 | 27 | 73 |
| 1961 | 251,130 | 72,449 | 178,681 | 100 | 29 | 71 |
| 1962 | 249,801 | 73,934 | 175,867 | 100 | 30 | 70 |
| 1963 | 253,506 | 76,971 | 176,535 | 100 | 30 | 70 |
| 1964 | 254,319 | 77,294 | 177,025 | 100 | 30 | 70 |
| 1965 | 248,478 | 77,973 | 170,505 | 100 | 31.4 | 69 |
| 1966 | 242,746 | 81,901 | 160,845 | 100 | 33.7 | 66 |
| 1967 | 241,594 | 87,571 | 154,023 | 100 | 36.2 | 64 |

HOSPITALISATIE EN KRAAMZORG PER PROVINCIE

3

Hospitalization and maternity home help by province

Percentages

NETHERLANDS, 1952-1967

| province | 1952 | 1955 | 1960 | 1964 | 1965 | 1966 | 1967 |
|---------------------|------|------|------|------|------|------|------|
| hospitalization | | | | | | | |
| Groningen | 31 | 34 | 33 | 36 | 36 | 39 | 41 |
| Friesland | 20 | 23 | 30 | 29 | 30 | 30 | 30 |
| Drenthe | 14 | 14 | 14 | 16 | 17 | 18 | 21 |
| Overijssel | 14 | 14 | 17 | 20 | 20 | 20 | 23 |
| Gelderland | 15 | 15 | 18 | 25 | 26 | 28 | 29 |
| Utrecht | 17 | 18 | 24 | 27 | 28 | 30 | 37 |
| Noord-Holland | 33 | 36 | 41 | 41 | 43 | 47 | 49 |
| Zuid-Holland | 28 | 31 | 34 | 36 | 37 | 41 | 43 |
| Zeeland | 19 | 24 | 26 | 30 | 28 | 32 | 34 |
| Noord-Brabant | 17 | 17 | 20 | 23 | 23 | 25 | 26 |
| Limburg | 17 | 18 | 24 | 33 | 36 | 38 | 41 |
| Netherlands | 22 | 24 | 27 | 30 | 31 | 34 | 36 |
| maternity home help | | | | | | | |
| Groningen | 21 | 19 | 22 | 20 | 22 | 22 | 25 |
| Friesland | 26 | 25 | 29 | 33 | 35 | 38 | 42 |
| Drenthe | 13 | 17 | 28 | 33 | 37 | 41 | 47 |
| Overijssel | 20 | 29 | 39 | 46 | 54 | 57 | 58 |
| Gelderland | 28 | 32 | 40 | 42 | 44 | 46 | 49 |
| Utrecht | 41 | 42 | 38 | 39 | 42 | 43 | 42 |
| Noord-Holland | 28 | 30 | 30 | 33 | 34 | 34 | 34 |
| Zuid-Holland | 29 | 33 | 35 | 35 | 36 | 38 | 35 |
| Zeeland | 45 | 46 | 49 | 54 | 57 | 55 | 53 |
| Noord-Brabant | 29 | 35 | 40 | 42 | 44 | 45 | 37 |
| Limburg | 9 | 16 | 26 | 30 | 37 | 39 | 41 |
| Netherlands | 24 | 30 | 35 | 38 | 39 | 40 | 40 |
| total* | | | | | | | |
| Groningen | 52 | 53 | 55 | 56 | 57 | 60 | 66 |
| Friesland | 46 | 48 | 59 | 62 | 65 | 68 | 71 |
| Drenthe | 27 | 31 | 42 | 48 | 54 | 59 | 68 |
| Overijssel | 34 | 43 | 56 | 66 | 74 | 77 | 81 |
| Gelderland | 43 | 47 | 58 | 67 | 69 | 74 | 78 |
| Utrecht | 58 | 60 | 62 | 66 | 69 | 73 | 79 |
| Noord-Holland | 62 | 66 | 71 | 74 | 76 | 81 | 83 |
| Zuid-Holland | 57 | 64 | 69 | 71 | 73 | 78 | 78 |
| Zeeland | 64 | 70 | 75 | 84 | 84 | 87 | 86 |
| Noord-Brabant | 46 | 52 | 60 | 65 | 67 | 69 | 63 |
| Limburg | 26 | 34 | 50 | 63 | 72 | 77 | 82 |
| Netherlands | 46 | 54 | 62 | 68 | 70 | 74 | 76 |

* hospitalization + maternity home help
(part time care (= wijkkraamzorg) excluded)

HOSPITALISATIE NAAR TYPE ZIEKENHUIS

4

Hospitalization by type of hospital

Percentage distribution

NETHERLANDS, 1966

| place of delivery | live births | still- births | total births |
|-----------------------|----------------|------------------|-----------------|
| general hospital | 24.6 | 61.0 | 25.1 |
| university hospital | 3.1 | 3.1 | 3.1 |
| midwifery school | 1.7 | 2.8 | 1.7 |
| cert. maternities | 1.3 | 1.2 | 1.3 |
| non-cert. maternities | 2.5 | 1.2 | 2.5 |
| ----- | ----- | ----- | ----- |
| hospitalization | 33.2 | 69.3 | 33.7 |
| home deliveries | 66.7 | 30.7 | 66.2 |
| ----- | ----- | ----- | ----- |
| total | 100 | 100 | 100 |

Hospitalization by size of municipality

In % of total births in each group

NETHERLANDS, 1952-1966

| size of municipality | 1952 | 1955 | 1958 | 1961 | 1965 | 1966 |
|-------------------------|------|------|------|------|------|------|
| <5 000 (inhab.) | 13 | 14 | 16 | 18 | 21 | 23 |
| 5 000 - < 20 000 | 15 | 16 | 19 | 21 | 24 | 25 |
| 20 000 - < 50 000 | 20 | 22 | 26 | 29 | 30 | 33 |
| 50 000 - <100 000 | 28 | 29 | 32 | 30 | 33 | 37 |
| 100 000 - <500 000 | 27 | 27 | 31 | 36 | 39 | 42 |
| >500 000 | 41 | 45 | 46 | 49 | 53 | 58 |
| Netherlands | 22 | 24 | 26 | 29 | 31 | 34 |
| Amsterdam | 47 | 50 | 51 | 53 | 58 | 62 |
| Rotterdam | 28 | 34 | 35 | 38 | 42 | 50 |
| The Hague | 47 | 50 | 52 | 55 | 60 | 64 |

GEBORENEN NAAR GEMEENTEGROOTTE EN AARD VAN VERLOSKUNDIGE HULP

Births by size of municipality and type of obstetrical care

Percentage distribution

NETHERLANDS, 1952-1966

| size of municipality | all births* | | | | | | | | | | hospitalization** | | | | | | | | | |
|-------------------------|-------------|----|------|----|------|----|------|----|------|----|-------------------|----|------|----|------|----|------|----|------|----|
| | 1952 | | 1955 | | 1960 | | 1965 | | 1966 | | 1952 | | 1955 | | 1960 | | 1965 | | 1966 | |
| | MD | MW | MD | MW | MD | MW | MD | MW | MD | MW | MD | MW | MD | MW | MD | MW | MD | MW | MD | MW |
| < 5 000 (inhab.) | 76 | 23 | 76 | 23 | 81 | 18 | 83 | 17 | 83 | 17 | 15 | 6 | 17 | 6 | 19 | 7 | 23 | 8 | 26 | 9 |
| 5 000 - < 20 000 | 64 | 35 | 65 | 35 | 68 | 31 | 71 | 29 | 70 | 29 | 19 | 7 | 21 | 8 | 25 | 8 | 30 | 10 | 31 | 11 |
| 20 000 - < 50 000 | 49 | 51 | 50 | 50 | 61 | 39 | 63 | 37 | 64 | 36 | 32 | 9 | 34 | 11 | 37 | 14 | 40 | 14 | 42 | 17 |
| 50 000 - < 100 000 | 44 | 55 | 45 | 54 | 50 | 49 | 53 | 47 | 54 | 46 | 43 | 16 | 44 | 16 | 40 | 14 | 48 | 16 | 51 | 21 |
| 100 000 - < 500 000 | 55 | 45 | 56 | 44 | 59 | 40 | 60 | 40 | 60 | 40 | 39 | 12 | 41 | 9 | 48 | 13 | 55 | 16 | 57 | 18 |
| > 500 000 | 45 | 54 | 47 | 53 | 52 | 48 | 46 | 53 | 46 | 54 | 66 | 21 | 66 | 26 | 66 | 28 | 71 | 37 | 76 | 44 |
| total | 58 | 42 | 59 | 41 | 63 | 37 | 64 | 35 | 64 | 35 | 30 | 12 | 32 | 13 | 35 | 14 | 39 | 18 | 41 | 21 |

MD = general practitioner/physician/obstetrician

MW = midwife

* small rest group: both (MD + MW), no help and unknown are not mentioned

** hospitalization in % of each group

GEBORENEN NAAR GEMEENTEGROOTTE EN
AARD VAN KRAAMZORG

7

Births by size of municipality and type of maternity care

Percentage distribution

NETHERLANDS, 1962 and 1965

| size of municipality | hospital | home | | | | rest group* | |
|-------------------------|----------|---------------------|------|-----------|---------------|----------------|--|
| | | maternity home help | | full time | part time* | | |
| | | 1962 | 1965 | | | | |
| < 5 000 (inhab.) | 19 | 21 | 42 | 46 | 3 | 30 | |
| 5 000 - < 20 000 | 21 | 24 | 40 | 44 | 5 | 27 | |
| 20 000 - < 50 000 | 30 | 30 | 34 | 41 | 6 | 23 | |
| 50 000 - < 100 000 | 31 | 33 | 36 | 38 | 9 | 20 | |
| 100 000 - < 500 000 | 37 | 39 | 31 | 25 | 11 | 18 | |
| > 500 000 | 49 | 53 | 18 | | | | |
| total | 30 | 31 | 34 | 39 | 7 | 23 | |

* only known for 1965

KRAAMCENTRA NAAR KRUISORGANISATIE

8

Maternity home help centres by cross society

| period | cross societies | | | | total |
|-----------|-----------------|-------------|-----------------|--------|-------|
| | Groen | Wit Geel | Oranje Groen | others | |
| 1943/1946 | 31 | 34 | — | 8 | 73 |
| 1947/1950 | 50 | 52 | — | 9 | 111 |
| 1951/1954 | 67 | 67 | 3 | 6 | 143 |
| 1955/1958 | 76 | 71 | 6 | 5 | 158 |
| 1959/1962 | 83 | 75 | 9 | 3 | 170 |
| 1963 | 86 | 77 | 12 | 2 | 177 |
| 1964 | 87 | 79 | 14 | 1 | 181 |
| 1965 | 89 | 80 | 14 | — | 183 |
| 1966 | 89 | 82 | 14 | — | 185 |
| 1967 | 89 | 82 | 14 | — | 185 |

Staff of maternity home help centres

| period | LD | | LD + 1 adj | | LD + 2 adj | | LD + 3 adj | | BB | total centres |
|-----------|----|----|------------|----|------------|----|------------|---|----|------------------|
| | n | % | n | % | n | % | n | % | | |
| 1949/1950 | 80 | 68 | 34 | 29 | — | — | — | — | 5 | 119 |
| 1951/1954 | 73 | 51 | 64 | 45 | — | — | — | — | 6 | 143 |
| 1955/1958 | 51 | 32 | 91 | 58 | 13 | 8 | — | — | 3 | 158 |
| 1959/1962 | 30 | 18 | 111 | 65 | 28 | 16 | — | — | 1 | 170 |
| 1963/1964 | 20 | 11 | 110 | 62 | 45 | 25 | 3 | 2 | 1 | 179 |
| 1966 | 9 | 5 | 88 | 48 | 75 | 40 | 13* | 7 | — | 185 |

LD = leidster-docente/matron teacher

adj = adjunct leidster-docente/assistant matron teacher

BB = bemiddelingsbureau/registration office

* waarvan één centrum met vier adjunct leidsters-docenten

incl. one centre with four assistant matron teachers

Qualified maternity home helps and pupils

| period | numbers | | indices | |
|-----------|-----------|---------|-----------|---------|
| | qualified | pupils* | qualified | pupils* |
| 1950/1951 | 2570 | 630 | 100 | 100 |
| 1955/1956 | 3340 | 700 | 130 | 110 |
| 1960/1961 | 3400 | 760 | 132 | 120 |
| 1962 | 3380 | 950 | 132 | 150 |
| 1963 | 3440 | 1090 | 134 | 170 |
| 1964 | 3690 | 1140 | 144 | 180 |
| 1965 | 3760 | 1240 | 146 | 200 |
| 1966 | 3970 | 1260 | 154 | 200 |
| 1967 | 3990 | 1210 | 155 | 190 |

*new pupils per year

Staff, maternity home helps, attendances

| maternity home help | 1950 | 1960 | 1966 |
|--|-------|-------|---------|
| staf/staff | | | |
| – leidster-docente matron-teacher | 117 | 170 | 185 |
| – adjunct leidster-docente assistant matron-teacher | 37 | 162 | 275 |
| totaal/total | 154 | 332 | 460 |
| <hr/> | | | |
| kraamverzorgsters/maternity home helps | | | |
| – leerlingen pupils | 610 | 710 | 1260 |
| – gediplomeerden qualified | 2500 | 3370 | 3970 |
| totaal/total | 3110 | 4080 | 5230 |
| <hr/> | | | |
| verzorgingen/attendances | 45000 | 82000 | 119000* |

* inclusief wijkkraamzorg/part time care included

Births by type of maternity care

NETHERLANDS, 1953-1967

| year | hosp. % | home | | | | zonder kraamzorg without MHH | |
|------|------------|---------------------------|-----|-------------------|---|---------------------------------|----|
| | | met kraamzorg with MHH | | | | | |
| | | intern full time | | wijk part time | | | |
| | | n | % | n | % | | |
| 1953 | 23 | 62,554 | 27 | | | 117,993 | 50 |
| 1955 | 24 | 70,920 | 30 | | | 106,707 | 46 |
| 1957 | 26 | 73,389 | 31 | | | 101,864 | 43 |
| 1959 | 27 | 81,838 | 33 | | | 97,391 | 40 |
| 1961 | 29 | 86,354 | 34 | | | 92,076 | 37 |
| 1963 | 30 | 88,940 | 35 | | | 87,473 | 35 |
| 1964 | 30 | 94,963 | 38 | | | 81,804 | 32 |
| 1965 | 31 | 96,643 | 39 | 16,519 | 7 | 57,343 | 23 |
| 1966 | 34 | 97,918 | 40 | 21,184 | 9 | 41,743 | 17 |
| 1967 | 36 | 103,011* | 43* | 20,253 | 8 | 30,467 | 13 |

* incl. 2½% gecombineerde verzorgingen (interne + wijkkrz.)

2½% combined attendances (all day + part time) included

Types of maternity home help by province*

MATERNITY HOME HELP, 1967

| provincie province | interne full time | wijkkrz. part time | gecomb. comb. |
|-----------------------|----------------------|-----------------------|------------------|
| Groningen | 25 | 17 | 0.1 |
| Friesland | 42 | 3 | 0.4 |
| Drenthe | 47 | 16 | 0.1 |
| Overijssel | 58 | 8 | 0.9 |
| Gelderland | 49 | 3 | 0.2 |
| Utrecht | 42 | 3 | 0.1 |
| Noord-Holland | 34 | 5 | 1.0 |
| Zuid-Holland | 35 | 6 | 2.8 |
| Zeeland | 53 | 2 | 0.2 |
| Noord-Brabant | 37 | 18 | 10.6 |
| Limburg | 41 | 12 | 1.0 |
| total | 40 | 8 | 2.5 |

*in % van totaal geborenen per provincie/
in % of total births by province

Place of delivery and obstetrical aid

Percentage distribution

NETHERLANDS, 1954-1965

| period | hospital + home | | hospital | | home | | | |
|-----------|--------------------|------|----------|------|----------|------|-------------|------|
| | | | | | with MHH | | without MHH | |
| | phys | midw | phys | midw | GP | midw | GP | midw |
| 1954/1955 | 59 | 41 | 78 | 22 | 63 | 37 | 47 | 53 |
| 1956/1957 | 61 | 39 | 79 | 21 | 64 | 36 | 48 | 52 |
| 1958/1959 | 62 | 38 | 80 | 20 | 65 | 35 | 48 | 52 |
| 1960/1961 | 64 | 36 | 81 | 19 | 66 | 34 | 48 | 52 |
| 1962/1963 | 64 | 36 | 81 | 19 | 67 | 33 | 48 | 52 |
| 1964/1965 | 64 | 36 | 80 | 20 | 66 | 34 | 47 | 53 |

phys = physician = general practitioner (GP) or obstetrician

midw = midwife

MHH = maternity home help

LASTEN EN BATEN VAN DE KRAAMZORG
PER VERZORGINGSDAG*

15

Liabilities and profits of maternity home help per day*

In guldens / in guilders

| year | total costs | average tariffs | health insurance | govern. subs. |
|-----------|-------------|-----------------|------------------|---------------|
| 1951/1952 | 8,- | 5,- | - | 2,- |
| 1956/1957 | 14,- | 7,- | - | 6,- |
| 1961/1962 | 22,- | 11,- | - | 8,- |
| 1963/1964 | 32,- | 14,- | - | 13,- |
| 1965 | 40,- | 18,- | - | 18,- |
| 1966 | 51,-** | 0-40,- | 27,- | 12,-** |
| 1967 | 57,-** | 0-45,- | 30,- | 12,-** |
| 1968 | 60,-** | 0-50,- | 32,- | 11,-** |

* theoretische opleiding inbegrepen / theoretical training included

** voorlopige cijfers / preliminary data

**COMPONENTEN VAN PERINATALE STERFTE
NAAR PLAATS VAN BEVALLING**

Components of perinatal mortality by place of confinement

Per 1000 (live) births

| year | total Nether- lands | hospital | home | | |
|----------------------|---------------------------|----------|-------|----------|----------------|
| | | | total | with MHH | without MHH |
| stillbirth | | | | | |
| 1920 | 26.1 | | | | |
| 1939 | 24.8 | | | | |
| 1947 | 20.1 | | | | |
| 1953 | 17.4 | 35.4 | 12.1 | 11.8 | 12.3 |
| 1958 | 16.7 | 34.0 | 10.5 | 9.8 | 11.1 |
| 1963 | 14.3 | 30.4 | 7.3 | 6.9 | 7.7 |
| 1964 | 13.4 | 29.0 | 6.6 | 6.0 | 7.2 |
| 1965 | 13.1 | 28.2 | 6.3 | 5.7 | 6.7 |
| first week mortality | | | | | |
| 1920 | 19.0 | | | | |
| 1939 | 15.5 | | | | |
| 1947 | 14.4 | | | | |
| 1953 | 14.3 | 30.7 | 9.6 | 7.0 | 11.1 |
| 1958 | 11.4 | 25.4 | 6.5 | 4.9 | 7.6 |
| 1963 | 10.4 | 23.5 | 4.8 | 4.1 | 5.5 |
| 1964 | 10.1 | 23.3 | 4.6 | 3.9 | 5.3 |
| 1965 | 10.1 | 23.0 | 4.3 | 4.0 | 4.6 |
| perinatal mortality | | | | | |
| 1920 | 44.6 | | | | |
| 1939 | 39.9 | | | | |
| 1947 | 34.2 | | | | |
| 1953 | 31.4 | 65.0 | 21.6 | 18.5 | 23 |
| 1958 | 27.9 | 58.6 | 16.9 | 14.5 | 18.5 |
| 1963 | 24.6 | 53.2 | 12.1 | 11 | 13 |
| 1964 | 23.4 | 51.7 | 11.1 | 10 | 12.5 |
| 1965 | 23.1 | 50.5 | 10.5 | 9.5 | 11.5 |

Stillbirth by place of confinement

Per 1000 births

| year | total Nether- lands | hospital | home | | |
|------|---------------------------|----------|-------|----------|----------------|
| | | | total | with MHH | without MHH |
| 1950 | 19.3 | | | | |
| 1951 | 18.3 | | | 10.1* | |
| 1952 | 18.2 | 34.9 | 13.4 | 12.2* | 15* |
| 1953 | 17.4 | 35.4 | 12.1 | 11.8 | 12.3 |
| 1954 | 17.3 | 35.8 | 11.7 | 10.2 | 12.7 |
| 1955 | 16.9 | 35.3 | 11.2 | 10.2 | 11.8 |
| 1956 | 16.9 | 34.3 | 11.0 | 9.8 | 11.8 |
| 1957 | 16.9 | 33.4 | 11.0 | 8.8 | 12.6 |
| 1958 | 16.7 | 34.0 | 10.5 | 9.8 | 11.1 |
| 1959 | 15.7 | 33.4 | 9.1 | 8.0 | 10.1 |
| 1960 | 14.9 | 30.9 | 8.9 | 8.0 | 9.7 |
| 1961 | 14.8 | 31.4 | 8.1 | 7.1 | 9.1 |
| 1962 | 14.6 | 31.1 | 7.7 | 7.0 | 8.3 |
| 1963 | 14.3 | 30.4 | 7.3 | 6.9 | 7.7 |
| 1964 | 13.4 | 29.0 | 6.6 | 6.0 | 7.2 |
| 1965 | 13.1 | 28.2 | 6.3 | 5.7 | 6.7 |

* De Haas (1954)

First week mortality by place of confinement

Per 1000 live births

| year | total Nether- lands | hospital | home | | |
|------|---------------------------|----------|-------|----------|----------------|
| | | | total | with MHH | without MHH |
| 1950 | 15.2 | | | | |
| 1951 | 15.4 | | | 9.3* | |
| 1952 | 14.4 | | | 8.7* | 15-17* |
| 1953 | 14.3 | 30.7 | 9.6 | 7.0 | 11.1 |
| 1954 | 14.0 | 31.4 | 8.9 | 4.8 | 11.5 |
| 1955 | 13.4 | 30.2 | 8.2 | 5.1 | 10.3 |
| 1956 | 12.3 | 26.9 | 7.5 | 5.3 | 9.0 |
| 1957 | 11.4 | 24.7 | 6.8 | 5.0 | 8.0 |
| 1958 | 11.4 | 25.4 | 6.5 | 4.9 | 7.6 |
| 1959 | 11.6 | 26.2 | 6.3 | 4.8 | 7.5 |
| 1960 | 11.9 | 27.5 | 6.1 | 5.4 | 6.7 |
| 1961 | 11.3 | 25.6 | 5.6 | 4.5 | 6.7 |
| 1962 | 11.3 | 25.3 | 5.5 | 4.5 | 6.5 |
| 1963 | 10.4 | 23.5 | 4.8 | 4.1 | 5.5 |
| 1964 | 10.1 | 23.3 | 4.6 | 3.9 | 5.3 |
| 1965 | 10.1 | 23.0 | 4.3 | 4.0 | 4.6 |

* De Haas (1954)

Perinatal mortality by place of confinement

Per 1000 births

| year | total Nether- lands | hospital | home | | |
|------|---------------------------|----------|-------|----------|----------------|
| | | | total | with MHH | without MHH |
| 1950 | 34.2 | | | | |
| 1951 | 33.4 | | | | |
| 1952 | 32.4 | | | 20* | 30* |
| 1953 | 31.4 | 65.0 | 21.6 | 18.5 | 23 |
| 1954 | 31.1 | 66.1 | 20.5 | 15 | 24 |
| 1955 | 30.1 | 64.4 | 19.3 | 15.5 | 22 |
| 1956 | 29.0 | 60.3 | 18.4 | 15 | 20.5 |
| 1957 | 28.1 | 57.3 | 17.7 | 13.5 | 20.5 |
| 1958 | 27.9 | 58.6 | 16.9 | 14.5 | 18.5 |
| 1959 | 27.1 | 58.7 | 15.3 | 13 | 17.5 |
| 1960 | 26.6 | 57.5 | 14.9 | 13.5 | 16.5 |
| 1961 | 25.9 | 56.2 | 13.7 | 11.5 | 15.5 |
| 1962 | 25.7 | 55.6 | 13.1 | 11.5 | 15 |
| 1963 | 24.6 | 53.2 | 12.1 | 11 | 13 |
| 1964 | 23.4 | 51.7 | 11.1 | 10 | 12.5 |
| 1965 | 23.1 | 50.5 | 10.5 | 9.5 | 11.5 |

* De Haas (1954)

COMPONENTEN VAN PERINATALE STERFTE BIJ
ZIEKENHUIS- EN HUISBEVALLINGEN

20

Components of perinatal mortality in hospital and home deliveries

Rates and ratio's

NETHERLANDS, 1953-1965

| year | rates | | | ratio's | | |
|----------------------|-------|----------|------|------------------|-------------------|---------------|
| | total | hospital | home | hospital home | hospital total | total home |
| stillbirth | | | | | | |
| 1953 | 17 | 35 | 12 | 2.9 | 2.1 | 1.4 |
| 1959 | 16 | 33 | 9 | 3.7 | 2.1 | 1.8 |
| 1965 | 13 | 28 | 6 | 4.7 | 2.2 | 2.2 |
| first week mortality | | | | | | |
| 1953 | 14 | 31 | 10 | 3.1 | 2.2 | 1.4 |
| 1959 | 12 | 26 | 6 | 4.3 | 2.2 | 2.0 |
| 1965 | 10 | 23 | 4 | 5.8 | 2.3 | 2.5 |
| perinatal mortality | | | | | | |
| 1953 | 31 | 65 | 22 | 3.0 | 2.1 | 1.4 |
| 1959 | 27 | 59 | 15 | 3.9 | 2.2 | 1.8 |
| 1965 | 23 | 51 | 10 | 5.1 | 2.2 | 2.3 |

COMPONENTEN VAN PERINATALE STERFTE

NAAR PLAATS VAN BEVALLING

Components of perinatal mortality by place of confinement

Indices: 1953 = 100

| year | total Nether- lands | hospital | home | | |
|----------------------|---------------------------|----------|-------|----------|----------------|
| | | | total | with MHH | without MHH |
| stillbirth | | | | | |
| 1950 | 111 | | | | |
| 1953 | 100 | 100 | 100 | 100 | 100 |
| 1956 | 97 | 97 | 91 | 83 | 96 |
| 1959 | 90 | 94 | 75 | 68 | 82 |
| 1962 | 84 | 88 | 64 | 59 | 67 |
| 1963 | 82 | 86 | 60 | 58 | 63 |
| 1964 | 77 | 82 | 55 | 56 | 59 |
| 1965 | 75 | 80 | 52 | 48 | 54 |
| first week mortality | | | | | |
| 1950 | 106 | | | | |
| 1953 | 100 | 100 | 100 | 100 | 100 |
| 1956 | 86 | 88 | 78 | 76 | 81 |
| 1959 | 81 | 85 | 66 | 69 | 68 |
| 1962 | 79 | 82 | 57 | 64 | 59 |
| 1963 | 73 | 77 | 50 | 59 | 50 |
| 1964 | 71 | 76 | 48 | 56 | 48 |
| 1965 | 71 | 75 | 45 | 57 | 41 |
| perinatal mortality | | | | | |
| 1950 | 109 | | | | |
| 1953 | 100 | 100 | 100 | 100 | 100 |
| 1956 | 93 | 93 | 85 | 81 | 89 |
| 1959 | 86 | 90 | 71 | 70 | 76 |
| 1962 | 82 | 86 | 61 | 62 | 65 |
| 1963 | 78 | 82 | 56 | 59 | 57 |
| 1964 | 75 | 80 | 51 | 54 | 54 |
| 1965 | 74 | 78 | 49 | 51 | 50 |

ENQUETE NAAR PERINATALE STERFTE ONDER GROEP ONBEKENDEN

Survey on perinatal mortality among insufficiently-registered newborns

MATERNITY HOME HELP, 1964

| province | sent out | received | unknown | known | alive after 1 week | still-births | 1st week mortality | perinatal mortality |
|---------------|----------|----------|---------|-------|--------------------|--------------|--------------------|---------------------|
| Groningen | 18 | 18 | 1 | 17 | 17 | - | - | - |
| Friesland | 28 | 28 | - | 28 | 28 | - | - | - |
| Drenthe | 7 | 7 | - | 7 | 7 | - | - | - |
| Overijssel | 36 | 35 | 1 | 34 | 33 | - | 1 | 1 |
| Gelderland | 67 | 67 | 12 | 55 | 54 | - | 1 | 1 |
| Utrecht | 16 | 16 | - | 16 | 16 | - | - | - |
| Noord-Holland | 40 | 32 | 1 | 31 | 29 | - | 2 | 2 |
| Zuid-Holland | 118 | 118 | 5 | 113 | 108 | 3 | 2 | 5 |
| Zeeland | 34 | 34 | - | 34 | 30 | 3 | 1 | 4 |
| Noord-Brabant | 67 | 67 | 14 | 53 | 53 | - | - | - |
| Limburg | 2 | 2 | - | 2 | 2 | - | - | - |
| total | 433 | 424 | 34 | 390 | 377 | 6 | 7 | 13 |

GEBORENEN NAAR LEEFTIJD VAN MOEDER

23a

Births by age of mother

NETHERLANDS / MATERNITY HOME HELP, 1956-1965

| age of mother | 1956/1957 | | 1962/1963 | | 1964/1965 | |
|---------------|-----------|------|-----------|------|-----------|------|
| | Neth. | MHH | Neth. | MHH | Neth. | MHH |
| < 20 | 2.5 | 0.3 | 3.9 | 0.5 | 4.6 | 0.8 |
| 20-24 | 17.9 | 8.6 | 22.3 | 12.8 | 24.6 | 15.5 |
| 25-29 | 32.6 | 32.6 | 32.4 | 35.0 | 32.8 | 36.2 |
| 30-34 | 25.9 | 32.2 | 23.6 | 30.0 | 22.0 | 27.8 |
| 35-39 | 15.0 | 19.1 | 12.9 | 16.3 | 11.7 | 14.5 |
| ≥ 40 | 6.1 | 7.2 | 4.9 | 5.3 | 4.3 | 5.0 |
| total | 100 | 100 | 100 | 100 | 100 | 100 |

GEBORENEN NAAR PARITEIT

23b

Births by parity

NETHERLANDS / MATERNITY HOME HELP, 1956-1965

| parity | 1956/1957 | | 1962/1963 | | 1964/1965 | |
|--------|-----------|------|-----------|------|-----------|------|
| | Neth. | MHH | Neth. | MHH | Neth. | MHH |
| 1 | 30.7 | 22.0 | 32.3 | 23.5 | 34.3 | 25.2 |
| 2 | 25.1 | 26.1 | 27.3 | 29.1 | 28.1 | 30.4 |
| 3 | 16.1 | 19.3 | 16.9 | 20.5 | 16.8 | 20.5 |
| 4 | 10.2 | 12.6 | 9.5 | 11.8 | 9.0 | 11.2 |
| 5 | 6.5 | 7.8 | 5.4 | 6.3 | 4.8 | 5.6 |
| ≥ 6 | 11.4 | 12.3 | 8.6 | 8.8 | 7.0 | 7.0 |
| total | 100 | 100 | 100 | 100 | 100 | 100 |

Births by age of mother and parity

Percentage distribution

| par. age \ | 1 | 2 | 3 | 4 | 5 | ≥ 6 | total |
|-------------------------------|------|------|------|------|-----|----------|-------|
| Netherlands 1962/1963 | | | | | | | |
| <20 | 3.3 | 0.5 | 0.0 | 0.0 | 0.0 | - | 3.9 |
| 20-24 | 14.0 | 6.2 | 1.6 | 0.4 | 0.1 | 0.0 | 22.3 |
| <25 | 17.3 | 6.7 | 1.7 | 0.4 | 0.1 | 0.0 | 26.2 |
| 25-29 | 10.8 | 12.2 | 5.9 | 2.2 | 0.8 | 0.5 | 32.4 |
| 30-34 | 3.0 | 6.4 | 6.2 | 3.8 | 2.0 | 2.2 | 23.6 |
| 35-39 | 0.9 | 1.7 | 2.6 | 2.4 | 1.8 | 3.5 | 12.9 |
| ≥ 40 | 0.2 | 0.3 | 0.6 | 0.7 | 0.7 | 2.4 | 4.9 |
| total | 32.3 | 27.3 | 16.9 | 9.5 | 5.4 | 8.6 | 100 |
| Netherlands 1964/1965 | | | | | | | |
| <20 | 4.0 | 0.6 | 0.1 | 0.0 | 0.0 | 0.0 | 4.6 |
| 20-24 | 15.3 | 7.0 | 1.8 | 0.4 | 0.1 | 0.0 | 24.6 |
| <25 | 19.3 | 7.6 | 1.8 | 0.4 | 0.1 | 0.0 | 29.2 |
| 25-29 | 11.1 | 12.6 | 5.9 | 2.1 | 0.7 | 0.4 | 32.8 |
| 30-34 | 2.8 | 6.0 | 6.1 | 3.6 | 1.8 | 1.7 | 22.0 |
| 35-39 | 0.8 | 1.7 | 2.5 | 2.3 | 1.6 | 2.8 | 11.7 |
| ≥ 40 | 0.2 | 0.3 | 0.5 | 0.7 | 0.6 | 2.0 | 4.3 |
| total | 34.3 | 28.1 | 16.8 | 9.0 | 4.8 | 7.0 | 100 |
| maternity home help 1962/1963 | | | | | | | |
| <20 | 0.4 | 0.1 | 0.0 | 0.0 | - | 0.0 | 0.5 |
| 20-24 | 8.1 | 3.6 | 0.8 | 0.2 | 0.0 | 0.0 | 12.8 |
| <25 | 8.4 | 3.7 | 0.9 | 0.2 | 0.0 | 0.0 | 13.3 |
| 25-29 | 11.2 | 14.2 | 6.6 | 2.1 | 0.6 | 0.3 | 35.0 |
| 30-34 | 3.1 | 8.7 | 8.8 | 5.2 | 2.4 | 1.9 | 30.0 |
| 35-39 | 0.7 | 2.2 | 3.6 | 3.4 | 2.5 | 3.9 | 16.3 |
| ≥ 40 | 0.1 | 0.3 | 0.7 | 0.9 | 0.8 | 2.5 | 5.3 |
| total | 23.5 | 29.1 | 20.5 | 11.8 | 6.3 | 8.8 | 100 |
| maternity home help 1964/1965 | | | | | | | |
| <20 | 0.6 | 0.2 | 0.0 | 0.0 | - | 0.0 | 0.8 |
| 20-24 | 9.5 | 4.7 | 1.1 | 0.2 | 0.0 | 0.0 | 15.5 |
| <25 | 10.1 | 4.9 | 1.1 | 0.2 | 0.0 | 0.0 | 16.3 |
| 25-29 | 11.6 | 15.0 | 6.7 | 2.0 | 0.5 | 0.3 | 36.2 |
| 30-34 | 2.7 | 8.0 | 8.6 | 4.8 | 2.1 | 1.5 | 27.8 |
| 35-39 | 0.6 | 2.1 | 3.5 | 3.2 | 2.2 | 3.0 | 14.5 |
| ≥ 40 | 0.1 | 0.3 | 0.7 | 0.9 | 0.8 | 2.2 | 5.0 |
| total | 25.2 | 30.4 | 20.5 | 11.2 | 5.6 | 7.0 | 100 |

PERINATALE STERFTE NAAR LEEFTIJD VAN MOEDER

25a

Perinatal mortality by age of mother

Per 1000 births

| age | 1962/1963 | | | 1964/1965 | | |
|-------|-----------|-------|-------|-----------|-------|-------|
| | M.H.H. | | Neth. | M.H.H. | | Neth. |
| | crude | adj. | | crude | adj. | |
| < 20 | (8.3) | (8.2) | 24.4 | (7.8) | (8.0) | 24.6 |
| 20-24 | 9.9 | 10.0 | 21.3 | 8.2 | 8.2 | 19.1 |
| 25-29 | 9.7 | 9.9 | 20.9 | 9.3 | 9.4 | 20.4 |
| 30-34 | 11.1 | 11.4 | 24.5 | 9.9 | 10.2 | 23.4 |
| 35-39 | 14.9 | 15.3 | 34.3 | 12.7 | 13.2 | 30.6 |
| ≥ 40 | 23.0 | 22.8 | 50.1 | 23.4 | 24.4 | 46.9 |
| total | 11.7 | 11.9 | 25.1 | 10.5 | 10.6 | 23.3 |

adj. = adjusted to the parity distribution in the Netherlands

PERINATALE STERFTE NAAR PARITEIT

25b

Perinatal mortality by parity

Per 1000 births

| parity | 1962/1963 | | | 1964/1965 | | |
|--------|-----------|------|-------|-----------|------|-------|
| | M.H.H. | | Neth. | M.H.H. | | Neth. |
| | crude | adj. | | crude | adj. | |
| 1 | 13.4 | 12.6 | 27.2 | 10.8 | 10.4 | 24.8 |
| 2 | 8.8 | 8.6 | 18.7 | 8.7 | 8.7 | 18.4 |
| 3 | 10.6 | 10.3 | 22.0 | 10.3 | 10.1 | 20.5 |
| 4 | 12.5 | 12.5 | 26.2 | 9.3 | 9.2 | 24.0 |
| 5 | 13.5 | 13.5 | 30.6 | 13.6 | 12.7 | 29.3 |
| ≥ 6 | 17.3 | 16.9 | 39.3 | 17.3 | 17.1 | 36.3 |
| total | 11.7 | 11.3 | 25.1 | 10.5 | 10.1 | 23.3 |

adj. = adjusted to the distribution of maternal age in the Netherlands

PERINATALE STERFTE NAAR LEEFTIJD VAN MOEDER EN
PARITEIT

26

Perinatal mortality by age of mother and parity

Per 1000 births

MATERNITY HOME HELP, 1962/1963 & 1964/1965

| age \ parity | 1 | 2 | 3 | 4 | 5 | ≥ 6 | total | adjusted to Netherlands |
|----------------------------|--------|--------|------|--------|------|----------|-------|----------------------------|
| 1962/1963 | | | | | | | | |
| <20 | (7.6) | (12.9) | — | — | — | — | (8.3) | (8.2) |
| 20-24 | 11.6 | 6.4 | 7.4 | (21.3) | — | — | 9.9 | 10.0 |
| 25-29 | 12.6 | 7.8 | 8.6 | 9.2 | 15.9 | (10.8) | 9.7 | 9.9 |
| 30-34 | 18.6 | 9.6 | 9.8 | 10.9 | 9.9 | 13.3 | 11.1 | 11.4 |
| 35-39 | 27.7 | 13.8 | 14.4 | 14.5 | 13.0 | 15.4 | 14.9 | 15.3 |
| ≥ 40 | (12.0) | 22.9 | 23.8 | 19.8 | 24.1 | 23.9 | 23.0 | 22.8 |
| total | 13.4 | 8.8 | 10.6 | 12.5 | 13.5 | 17.3 | 11.7 | 11.9 |
| adjusted to Netherlands | 12.6 | 8.6 | 10.3 | 12.5 | 13.5 | 16.9 | 11.3 | 11.5 |
| 1964/1965 | | | | | | | | |
| <20 | (8.4) | (6.5) | — | — | — | — | (7.8) | (8.0) |
| 20-24 | 8.3 | 8.5 | 6.9 | 8.2 | — | — | 8.2 | 8.2 |
| 25-29 | 10.8 | 8.6 | 8.7 | 8.0 | 6.6 | 18.7 | 9.3 | 9.4 |
| 30-34 | 15.1 | 7.8 | 9.6 | 9.4 | 9.9 | 14.4 | 9.9 | 10.2 |
| 35-39 | 27.5 | 12.0 | 14.3 | 7.9 | 13.9 | 12.9 | 12.7 | 13.2 |
| ≥ 40 | (53.3) | 20.0 | 18.2 | 17.4 | 27.4 | 25.4 | 23.4 | 24.4 |
| total | 10.8 | 8.7 | 10.3 | 9.3 | 13.6 | 17.3 | 10.5 | 10.6 |
| adjusted to Netherlands | 10.4 | 8.7 | 10.1 | 9.2 | 12.7 | 17.1 | 10.1 | 10.3 |

Frequency of twin births

NETHERLANDS / MATERNITY HOME HELP, 1955-1965

| year | Netherlands* | | | maternity home help* | | |
|-----------|-----------------|-------------|-----|----------------------|-------------|-----|
| | total births | twin births | | total births | twin births | |
| | | n | % | | n | % |
| 1955/1956 | 234,330 | 5869 | 2.5 | 71,683 | 1634 | 2.3 |
| 1957/1958 | 239,398 | 5864 | 2.4 | 75,045 | 1436 | 1.9 |
| 1959 | 246,396 | 5910 | 2.4 | 82,788 | 1630 | 2.0 |
| 1960 | 242,746 | 5840 | 2.4 | 84,523 | 1642 | 1.9 |
| 1961 | 251,131 | 5918 | 2.4 | 87,140 | 1562 | 1.8 |
| 1962 | 249,795 | 6026 | 2.4 | 87,591 | 1600 | 1.8 |
| 1963 | 253,506 | 6030 | 2.4 | 90,132 | 1582 | 1.8 |
| 1964 | 254,319 | 5888 | 2.3 | 96,073 | 1658 | 1.7 |
| 1965 | 248,478 | 5568 | 2.3 | 98,054 | 1536 | 1.6 |

* stillbirths and live births

TWEELINGKINDEREN EN DOODGEBOREN
TWEELINGKINDEREN NAAR PLAATS VAN GEBOORTE

28

Twins and stillbirths in twins by place of delivery

Percentage distribution,

NETHERLANDS, 1955-1964

| year | all twins | | stillbirths in twins | |
|-----------|-----------|----------|----------------------|----------|
| | home | hospital | home | hospital |
| 1955/1956 | 60 | 40 | 49 | 51 |
| 1957/1958 | 55 | 45 | 49 | 51 |
| 1959/1960 | 55 | 45 | 49 | 51 |
| 1961/1962 | 53 | 47 | 46 | 54 |
| 1963/1964 | 49 | 51 | 41 | 59 |

**DOODGEBOORTE EN PERINATALE STERFTE VAN
TWEELINGKINDEREN**

29

Stillbirth and perinatal mortality of twin births

Per 1000 (live) births

| year | Netherlands | | | maternity home help | |
|-----------|-------------|------|-------|---------------------|------------------------|
| | stillbirth | | | still- birth | perinatal mortality |
| | total | home | hosp. | | |
| 1955/1956 | 39.8 | 32.5 | 50.9 | 26.0 | 56.0 |
| 1957/1958 | 41.5 | 36.5 | 47.8 | 30.6 | 63.4 |
| 1959/1960 | 37.7 | 33.9 | 42.3 | 28.4 | 59.6 |
| 1961/1962 | 35.5 | 30.5 | 41.2 | 29.4 | 50.9 |
| 1963/1964 | 38.8 | 32.7 | 44.7 | 25.0 | 50.3 |
| 1965 | 33.2 | | | 29.9 | 59.9 |

LEVENDGEBOREN EENLINGEN EN TWEELINGEN NAAR GEBOORTEGEWICHT

30

Single and twin live births by birth weight

MATERNITY HOME HELP, 1956-1964

| birth weight in grams | single births | | | twin births | | | total live births | | |
|--------------------------|---------------|---------|---------|-------------|---------|---------|-------------------|---------|---------|
| | 1956/58 | 1959/61 | 1962/64 | 1956/58 | 1959/61 | 1962/64 | 1956/58 | 1959/61 | 1962/64 |
| numbers | | | | | | | | | |
| ≤ 1000 | 186 | 40 | 215 | 89 | 190 | 83 | 115 | 12 | 117 |
| 1001-1500 | 146 | | 126 | | 107 | | 103 | | 99 |
| 1501-2000 | 895 | | 784 | | 807 | | 500 | | 439 |
| 2001-2250 | 1,252 | | 1,373 | | 1,423 | | 543 | | 635 |
| 2251-2500 | 5,048 | | 5,503 | | 5,003 | | 5,23 | | 941 |
| prematures | 7,581 | | 7,875 | | 8,423 | | 2,081 | | 2,132 |
| | | | | | | | | | 2,091 |
| 2501-3000 | 36,774 | | 39,047 | | 42,489 | | 1,417 | | 1,661 |
| 3001-3500 | 84,316 | | 99,493 | | 106,220 | | 615 | | 726 |
| 3501-4000 | 60,934 | | 69,410 | | 75,660 | | 14 | | 132 |
| >4000 | 24,636 | | 30,746 | | 31,722 | | 6 | | 26 |
| total known | 214,041 | | 246,580 | | 264,532 | | 4,263 | | 4,677 |
| weight unknown | 1,707 | | 474 | | 951 | | 48 | | 17 |
| total | 215,748 | | 247,054 | | 265,483 | | 4,311 | | 4,694 |
| percentages | | | | | | | | | |
| ≤ 1000 | 0.1 | | 0.1 | | 0.1 | | 2.7 | | 2.5 |
| 1001-1500 | | | | | | | | | 1.7 |
| 1501-2000 | 0.4 | | 0.3 | | 0.3 | | 11.7 | | 9.4 |
| 2001-2250 | 0.6 | | 0.6 | | 0.5 | | 12.7 | | 13.6 |
| 2251-2500 | 2.3 | | 2.2 | | 2.3 | | 21.7 | | 20.1 |
| prematures | 3.4 | | 3.2 | | 3.2 | | 48.8 | | 45.6 |
| | | | | | | | | | 45.3 |
| 2501-3000 | 17.2 | | 15.8 | | 16.1 | | 33.2 | | 35.5 |
| 3001-3500 | 39.4 | | 40.3 | | 40.2 | | 14.4 | | 15.5 |
| 3501-4000 | 28.5 | | 28.2 | | 28.6 | | 3.0 | | 2.8 |
| >4000 | 11.5 | | 12.5 | | 12.0 | | 0.6 | | 0.5 |
| total | 100 | | 100 | | 100 | | 100 | | 100 |

EERSTE WEEK STERFTE VAN EENLINGEN EN TWEELINGEN NAAR GEBOORTEGEWICHT

First week mortality in single births and twin births by birth weight

Per 1000 live births in each weight group

MATERNITY HOME HELP, 1956-1964

| birth weight in grams | single births | | | twin births | | | total live births | | | birth weight in grams |
|--------------------------|---------------|---------|---------|-------------|---------|---------|-------------------|---------|---------|--------------------------|
| | 1956/58 | 1959/61 | 1962/64 | 1956/58 | 1959/61 | 1962/64 | 1956/58 | 1959/61 | 1962/64 | |
| ≤ 1000 | 350 | 270 | 268 | 460 | 540 | 468 | 392 | 364 | 326 | ≤ 1000 |
| 1001-1500 | 110 | 130 | 112 | 90 | 66 | 74 | 103 | 107 | 100 | 1001-1500 |
| 1501-2000 | 50 | 63 | 39 | 21 | 39 | 23 | 25 | 56 | 34 | 1501-2000 |
| 2001-2250 | 26 | 27 | 18 | 10 | 11 | 16 | 25 | 25 | 17 | 2001-2250 |
| 2251-2500 | | | | | | | | | | 2251-2500 |
| prematures | 44.4 | 50.4 | 36.1 | 62.0 | 59.1 | 43.0 | 48.3 | 52.3 | 37.5 | prematures |
| 2501-3000 | 5.4 | 5.9 | 5.3 | 7.8 | 8.4 | 4.9 | 5.5 | 6.0 | 5.3 | 2501-3000 |
| 3001-3500 | 2.5 | 2.6 | 2.1 | . | . | (2.6) | 2.5 | 2.6 | 2.1 | 3001-3500 |
| 3501-4000 | 1.6 | 1.5 | 1.4 | . | . | - | 1.6 | 1.5 | 1.4 | 3501-4000 |
| ≥ 4001 | 2.0 | 1.9 | 1.9 | . | - | - | 2.1 | 1.9 | 1.9 | ≥ 4001 |
| all weights | 4.1 | 4.2 | 3.5 | 33.7 | 31.0 | 21.7 | 4.7 | 4.7 | 3.8 | all weights |
| weight unknown | 46 | 130 | 121 | - | - | 123 | 50 | 130 | 121 | weight unknown |
| total | 4.5 | 4.5 | 3.9 | 35.3 | 31.3 | 23.1 | 5.1 | 5.0 | 4.2 | total |

GEBORENEN, PERINATALE STERFTE EN HOSPITALISATIE
NAAR GEMEENTEGROOTTE

32

Births, perinatal mortality and hospitalization by size of municipality

NETHERLANDS / MATERNITY HOME HELP, 1963/1964

| size of municipality | percentage distribution | | per 1000 (live) births | | | | | | hosp. % Neth. |
|-------------------------|----------------------------|-----|------------------------|-----|--------------|-----|-------------|------|---------------------|
| | | | stillbirth | | 1st wk mort. | | perin.mort. | | |
| | Neth | MHH | Neth | MHH | Neth | MHH | Neth | MHH | |
| <20,000 inh. | 45 | 53 | 14.5 | 7.5 | 10.2 | 4.3 | 24.5 | 11.8 | 22 |
| 20,000 – 100,000 | 28 | 28 | 13.6 | 6.2 | 10.6 | 4.0 | 24.0 | 10.1 | 31 |
| >100,000 inh. | 27 | 19 | 13.1 | 6.1 | 10.0 | 3.9 | 23.0 | 10.0 | 44 |
| total | 100 | 100 | 13.8 | 6.9 | 10.3 | 4.1 | 24.0 | 11.0 | 30 |

GEBORENEN EN PERINATALE STERFTE
NAAR INKOMENGROEP

33

Births and perinatal mortality by income group

Per 1000 (live) births

MATERNITY HOME HELP, 1963/1964

| group | income of father | distr-i- bution | still- birth | first week mortality | perinatal mortality |
|-------|------------------------------------|--------------------|-----------------|-------------------------|------------------------|
| III | < f 5000 | 27 | 6.6 | 4.4 | 10.9 |
| II | f 5000 - social insurance level | 57 | 6.5 | 3.6 | 10.0 |
| I | > social insurance level | 16 | 6.7 | 3.5 | 10.2 |
| | total | 100 | 6.5 | 3.8 | 10.3 |

PERINATALE STERFTE NAAR AARD VAN VERLOSKUNDIGE HULP

34

Perinatal mortality by type of obstetrical care

Rates per 1000 (live) births and ratios

| obste- trical care | survey De Haas-Posthumus (1962) | | | | kraamzorg/MHH (1962) | | | | Netherlands (1962) | | | | |
|--------------------------|---------------------------------|------------------|--------|----------|----------------------|--------|----------|---------|--------------------|----------|---------|--------|----------|
| | stillb. | durante partu | 1st wk | perinat. | stillb. | 1st wk | perinat. | stillb. | 1st wk | perinat. | stillb. | 1st wk | perinat. |
| physician | 15.1 | 12.2 | 9.0 | 36 | 7.8 | 4.7 | 12.4 | 21.3 | 15.5 | 36.5 | | | |
| midwife | 12.2 | 8.6 | 7.8 | 29 | 5.2 | 4.2 | 9.3 | (2.0) | (3.5) | (5.6) | | | |
| total | 14.3 | 10.8 | 8.7 | 33 | 7.1 | 4.5 | 11.5 | 14.6 | 11.3 | 25.7 | | | |
| <hr/> | | | | | | | | | | | | | |
| physician | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | |
| midwife | 81 | 70 | 87 | 80 | 67 | 89 | 75 | 9 | 23 | 15 | | | |

(*) these rates are unrealistic

Births and perinatal mortality by type of assistance of family doctor or midwife

MATERNITY HOME HELP, 1964

| type of assistance | births | | still-birth | | first week mortality | | perinatal mortality | |
|--|--------|------|-------------|-----------------|----------------------|-----------------|---------------------|-----------------|
| | n | % | n | % _{oo} | n | % _{oo} | n | % _{oo} |
| 1. kraamverzorgster maternity home help | 56,554 | 60.8 | 349 | 6.2 | 195 | 3.4 | 544 | 9.6 |
| 2. staf van kraamcentrum staff of MHH centre | 7,778 | 8.3 | 35 | 4.5 | 26 | 3.3 | 61 | 7.8 |
| 3. andere desk. assist. other qualif. assist. | 3,102 | 3.3 | 27 | 8.7 | 17 | 5.5 | 44 | 14.2 |
| 4. geen/ondesk. assist. no/unqualif. assist. | 24,964 | 26.8 | 140 | 5.6 | 115 | 4.6 | 255 | 10.2 |
| 5. onbekend unknown | 668 | 0.7 | 77 | 115 | 20 | 30 | 97 | 145 |
| total | 93,066 | 100 | 628 | 6.7 | 373 | 4.0 | 1001 | 10.8 |

Maternal mortality in relation to hospitalization and birth rate

Crude and adjusted rates 1960/1962 & 1963

| country | maternal mortality per 100 000 live births | | | | hospital- ization° 1962 % | birth rate 1962 % _{oo} | | |
|-----------------|---|------|-------|------|------------------------------------|--|--|--|
| | 1960/1962 | | 1963 | | | | | |
| | crude | adj* | crude | adj* | | | | |
| Sweden | 23.6 | 23.6 | 26.6 | 26.9 | 100 | 14.2 | | |
| Denmark | 24.3 | 26.0 | 25.5 | 27.5 | 50+ | 16.6 | | |
| Norway | 30.0 | 27.1 | 20.5 | 18.9 | 96 | 17.2 | | |
| Belgium | 36.3 | 34.7 | 30.8 | 28.7 | 90 | 16.9 | | |
| England & Wales | 36.3 | 36.3 | 28.5 | 28.5 | 66 | 17.5 | | |
| U.S.A. total | 36.4 | 39.0 | 35.8 | 38.1 | 97 | 23.1 | | |
| white | 24 ^x | | | | 99 | 22.1 | | |
| non white | 96 ^x | | | | 87 | 31.4 | | |
| Netherlands | 37.0 | 31.5 | 32.8 | 27.8 | 30 | 20.9 | | |
| Czechoslovakia | 43.8 | 50.3 | 36.0 | 41.2 | 96 | 15.8 | | |
| France | 46.7 | 44.4 | 38.2 | 35.5 | | 17.7 | | |
| West Germany | 96.9 | 94.1 | 82.8 | 79.5 | 72 | 17.8 | | |

* adjusted to birth distribution of England & Wales

° in percent of all deliveries

^x 1962/1963

+ 1961

Maternal mortality by place of death

NETHERLANDS, 1950-1966

| period | hospital | | | home | | | total | | | hospitalization ^o % |
|-----------|----------|-----|-----|------|------|-----|-------|----|-----|-----------------------------------|
| | n | r | i | n | r | i | n | r | i | |
| 1950/1951 | | | | | | | 216 | 93 | 150 | 19.9 |
| 1956/1957 | 108 | 178 | 100 | 39 | 22.2 | 100 | 147 | 62 | 100 | 25.7 |
| 1958/1959 | 86 | 132 | 74 | 23 | 12.9 | 58 | 109 | 45 | 73 | 26.8 |
| 1960/1961 | 74 | 106 | 60 | 20 | 11.3 | 51 | 94 | 38 | 61 | 28.2 |
| 1962/1963 | 61 | 81 | 46 | 21 | 11.6 | 52 | 82 | 32 | 52 | 30.0 |
| 1964/1965 | 58 | 74 | 42 | 16 | 9.6 | 45 | 74 | 30 | 48 | 31.0 |
| 1966 | 41 | 50 | 28 | 8 | 5.0 | 23 | 49 | 20 | 32 | 33.7 |

n = number of deaths

^o in % of all births

r = rate per 100,000 births

i = index: rate 1956/1957 = 100

KRAAMVROUWENSTERFE IN KRAAMZORGGROEP
EN IN NEDERLAND

38

Maternal mortality in maternity home help group and in the Netherlands

| period | maternity home help | | | | | Netherlands | |
|-----------|---------------------|-----------------------|-------------|--------------------|----------|--------------|---------|
| | live births | maternal mortality | | place of death* | | total B40 | 670-689 |
| | | n* | per 100,000 | home | hospital | per 100,000 | |
| 1950-1953 | | | | | | 87 | 60 |
| 1954-1956 | 209,728 | 22 | 11.0 | 11 | 11 | 65 | 42 |
| 1957-1959 | 230,534 | 15 | 6.5 | 7 | 8 | 50 | 33 |
| 1960-1962 | 256,242 | 23 | 9.0 | 5 | 18 | 37 | 25 |
| 1963-1965 | 280,977 | 21 | 7.5 | 10 | 11 | 31 | 20 |
| 1966 | 98,799 | 5 | 5.1 | 4 | 1 | 20 | 15 |

* in three years, except 1966

Hospitalization in maternity home help group

| year | total deliveries | deliveries in hospital | | | | | | registered newborns in hospital* | | | |
|------|------------------|------------------------|-----|-----------------|-----|---------------------|-----|-------------------------------------|-----|--|--|
| | | total | | primary booking | | emergency admission | | | | | |
| | | n | % | n | % | n | % | | | | |
| 1964 | 95236 | 2178 | 2.3 | 1059 | 1.1 | 1119 | 1.2 | 2137 | 2.3 | | |
| 1965 | 97283 | 2670 | 2.7 | 1390 | 1.4 | 1280 | 1.3 | 2577 | 2.7 | | |
| 1966 | 98696 | 2750 | 2.8 | 1438 | 1.5 | 1312 | 1.3 | 2493 | 2.5 | | |

* emergency admissions only partly included.

EERSTE WEEK STERFTE
NAAR PLAATS VAN OVERLIJDEN

40

First week mortality by place of death

Maternity Home Help, 1964-1966

| year | numbers | | |
|-------|---------|----------|------|
| | total | hospital | home |
| 1964 | 385 | 271 | 114 |
| 1965 | 393 | 253 | 140 |
| 1966 | 340 | 232 | 108 |
| total | 1118 | 756 | 362 |