



A Review on the Role of Affective Stimuli in Event-Related Frontal Alpha Asymmetry

Priya Sabu^{1,2}, Ivo V. Stuldreher¹, Daisuke Kaneko³ and Anne-Marie Brouwer^{1*}

¹ The Netherlands Organisation for Applied Scientific Research (TNO), Department Human Performance, Soesterberg, Netherlands, ² Mechanical, Maritime and Materials Engineering (3mE), Delft University, Delft, Netherlands, ³ Kikkoman Europe R&D Laboratory B.V., Wageningen, Netherlands

OPEN ACCESS

Edited by:

Siyuan Chen,
University of New South
Wales, Australia

Reviewed by:

Peter König,
Osnabrück University, Germany
Giulia Cartocci,
Sapienza University of Rome, Italy
Katharina Paul,
University of Hamburg, Germany

*Correspondence:

Anne-Marie Brouwer
anne-marie.brouwer@tno.nl

Specialty section:

This article was submitted to
Human-Media Interaction,
a section of the journal
Frontiers in Computer Science

Received: 03 February 2022

Accepted: 30 May 2022

Published: 01 July 2022

Citation:

Sabu P, Stuldreher IV, Kaneko D and
Brouwer A-M (2022) A Review on the
Role of Affective Stimuli in
Event-Related Frontal Alpha
Asymmetry.
Front. Comput. Sci. 4:869123.
doi: 10.3389/fcomp.2022.869123

Frontal alpha asymmetry refers to the difference between the right and left alpha activity over the frontal brain region. Increased activity in the left hemisphere has been linked to approach motivation and increased activity in the right hemisphere has been linked to avoidance or withdrawal. However, research on alpha asymmetry is diverse and has shown mixed results, which may partly be explained by the potency of the used stimuli to emotionally and motivationally engage participants. This review gives an overview of the types of affective stimuli utilized with the aim to identify which stimuli elicit a strong approach-avoidance effect in an affective context. We hope this contributes to better understanding of what is reflected by alpha asymmetry, and in what circumstances it may be an informative marker of emotional state. We systematically searched the literature for studies exploring event-related frontal alpha asymmetry in affective contexts. The search resulted in 61 papers, which were categorized in five stimulus categories that were expected to differ in their potency to engage participants: images & sounds, videos, real cues, games and other tasks. Studies were viewed with respect to the potency of the stimuli to evoke significant approach-avoidance effects on their own and in interaction with participant characteristics or condition. As expected, passively perceived stimuli that are multimodal or realistic, seem more potent to elicit alpha asymmetry than unimodal stimuli. Games, and other stimuli with a strong task-based component were expected to be relatively engaging but approach-avoidance effects did not seem to be much clearer than the studies using perception of videos and real cues. While multiple factors besides stimulus characteristics determine alpha asymmetry, and we did not identify a type of affective stimulus that induces alpha asymmetry highly consistently, our results indicate that strongly engaging, salient and/or personally relevant stimuli are important to induce an approach-avoidance effect.

Keywords: alpha asymmetry, EEG, approach-avoidance, emotion, motivation, computational psychophysiology, affective computing, mental state monitoring

INTRODUCTION

When examining the emotional experience of individuals with a certain product, task or situation, they are commonly asked about it. For instance, in food research, usage of explicit, verbal questionnaires is by far the most common way to assess consumers' emotional experience (Lagast et al., 2017; Kaneko et al., 2018). However, explicit, verbal measures have their shortcomings.

Firstly, social desirability and self-presentational concerns can influence self-reported measures (Gawronski and de Houwer, 2014). Dell et al. (2012) found that respondents were about 2.5 times more likely to favor a technology believed to be developed by the interviewer than an exactly identical alternative. Furthermore, questionnaires usually reflect summative emotions post-interaction (Lottridge et al., 2012). Explicit measures are not well-suited for continuous monitoring to understand how emotional experience changes over time, such as during the interaction with a product. Continuous self-reporting is demanding and adds another task, and affects the emotional experience itself. To overcome such limitations, researchers have been arguing for the use of implicit measures (Gawronski and de Houwer, 2014), such as those inferred from spontaneous behavior or physiological signals. These allow for more objective measures that are not affected by response biases and continuous observation of the individual's emotional or affective state (Reuderink et al., 2013).


The circumplex model of affect characterizes emotions by valence and arousal (Russell, 1980). Valence refers to pleasantness, i.e., the degree of positive or negative affect, whereas arousal refers to the energetic component of the emotion (alertness). Research has consistently linked skin conductance to arousal (Christopoulos et al., 2019; Bartolomé-Tomás et al., 2020). Also, other types of physiological responses have been found to generally map better on arousal rather than valence (Mauss and Robinson, 2009). Valence has been found to be more difficult to assess using physiological measures. In this regard, asymmetric frontal cortical activation is of particular interest for implicitly measuring emotional processes (Coan and Allen, 2004; Harmon-Jones et al., 2010; Diaz and Bell, 2012). Early research has reported high incidence of negative affect in individuals with unilateral left hemispheric brain damage (Alford, 1933; Goldstein, 2004). These patients showed increased negative responses, fear and pessimism about the future. On the other hand, patients with unilateral right hemisphere damage displayed euphoric reactions (Denny-brown et al., 1952), such as inappropriate presentation of positive affect and laughing (Scherer and Ekman, 1984). In the late 70s, patterns of emotion processing have been associated with differences in the EEG alpha band (8–12 Hz) between the left and right frontal cortex, and was termed frontal alpha asymmetry (Tucker et al., 1981; Ahern and Schwartz, 1985; Davidson et al., 1985). Note that alpha power is inversely related to brain activity, such that low alpha activity is taken as an indication of high regional brain activation (Cook et al., 1998; Allen et al., 2004a).

Initial research focused on an affective explanation of frontal alpha asymmetry responses to stimuli. Larger relative left hemispheric activation was argued to be associated with positively valenced stimuli and increased right hemispheric activation with negatively valenced stimuli (Briesemeister et al., 2013). Next to this valence model, the approach-avoidance, or approach-withdrawal, model was explored. In this model, activity in the right frontal cortex has been related to avoidance motivation, a tendency to withdraw from a certain stimulus, and activity in the left frontal cortex with approach motivation toward a stimulus (Davidson et al., 1990; Davidson and Irwin,

1999; Coan and Allen, 2003; Davidson, 2004; Alves et al., 2008; Harmon-Jones et al., 2010; Diaz and Bell, 2012). Since approach motivation is often associated with positive valence and avoidance with negative valence, the expected cortical activity patterns of these two theories overlap in many cases (Reuderink et al., 2013). Studies that specifically disentangled valence and approach-avoidance motivation were in line with the approach-avoidance model (Carver and Harmon-Jones, 2009; Berkman and Lieberman, 2010). The defining difference was found in the hemispheric activation pattern in response to anger (Reuderink et al., 2013). Anger as a negatively valenced emotion was found to be lateralized in the left hemisphere just like happiness instead of the right hemisphere as would be expected based on valence motivation (Davidson, 1984). Further support for the approach-avoidance model was found in transcranial magnetic stimulation experiments (Rutherford and Lindell, 2011).

Frontal alpha asymmetry as a tool to monitor motivational processes related to emotion would be desirable in a variety of application fields, such as marketing (including evaluating public service announcements, e.g., Inguscio et al., 2021), product design (e.g., cosmetics—Gabriel et al., 2021), human-computer interfaces, gaming and the diagnosis of affective disorders (Briesemeister et al., 2013). Another upcoming application and research area where frontal alpha asymmetry is highly relevant, is neuroesthetics (Babiloni et al., 2015; Cartocci et al., 2018, 2021; Daly et al., 2019). However, it is important to realize that frontal alpha asymmetry is not specific for motivational processes, but is also moderated by e.g., unilateral hand contractions (Harmon-Jones et al., 2010) and seating position (Baldwin and Penaranda, 2012). Variations in such factors between studies may underlie diverse results in recent literature, together with differences in data recording (e.g., noise, number of participants, recording length), processing and analysis methods (Smith et al., 2017). Additionally, researchers have used a wide variety of stimuli that were hypothesized to induce frontal alpha asymmetry and found mixed results. This review focuses on the factor of affective stimuli potentially affecting the approach-avoidance effect as measured by alpha asymmetry in the context of emotion. We expect that stimuli may crucially affect frontal alpha asymmetry through their potential to emotionally and motivationally engage the recorded individuals. Since frontal alpha asymmetry describes an approach-avoidance effect, affective stimuli that are strongly motivating in either of the directions are expected to produce clear results. Although it is extremely difficult to quantify this a priori (Brouwer et al., 2015b), we think some general expectations can be formulated for stimulus categories that are prevalent in alpha asymmetry emotional research.

We expect affective stimuli to induce strong approach-avoidance effects when they are engaging and realistic. In that sense, real stimuli that are part of an engaging task would be most effective. We expect that stimuli that are only perceived are less potent than active tasks. Within the “perception” category, we expect images and sounds (i.e., sensory unimodal stimuli that represent a certain object or situation) to be less potent than videos (bi-modal), followed by real cues (multimodal and realistic; the actual object or situation itself). Within the “action” category, we expect that games may be particularly engaging



tasks and therefore elicit strong approach-avoidance effects. Finally, clearer effects of affective stimuli on alpha asymmetry are expected if the stimuli are particularly relevant for the participants under study (e.g., food is likely to produce stronger approach motivation for individuals who have not eaten for a long time compared to individuals who have).

To date there is no review focused on the stimuli that can evoke an approach-avoidance effect measured by frontal alpha asymmetry. Hence, as of yet it is unclear which types of affective stimuli elicit a strong approach or avoidance effect. Exploring this will help to understand better what is reflected by frontal alpha asymmetry, under which circumstances frontal alpha asymmetry can be expected to be an informative marker of emotion and what causes the diversity in literature in order to unify conflicting results.

METHODS

Literature was searched on Scopus using the keywords “alpha AND asymmetry” AND (“approach” OR “avoidance” OR “withdrawal”) AND (“affect” OR “emotion”) and yielded 144 documents. Additionally, given our special interest in this measure from the perspective of studying food related emotion (Kaneko et al., 2018; Modica et al., 2018; Songsamoe et al., 2019), a search on Scopus using the terms (“alpha” AND “asymmetry”) AND “food” was conducted as well, resulting in 28 more papers. Out of the resulting 172 documents only those that had measured frontal alpha asymmetry related to an event or a stimulus (i.e., not resting alpha asymmetry only) were included. Furthermore,

studies using a machine learning approach without separately reporting on the exact alpha asymmetry results were excluded. This resulted in the inclusion of 61 papers. **Figure 1** visualizes the search and selection procedure.

The 61 selected studies were divided into five stimulus categories that were expected to systematically differ in their effectiveness to engage the subjects: 1. Images & sounds, 2. Videos, 3. Real cues, 4. Games, 5. Other tasks (Imagery; Modifying facial expression; Speech, reading and writing). While most studies involve some task, studies in the category “Games” and “Other tasks” specifically designed tasks to elicit a certain emotional state: performing the task serves as the main stimulus, and in case of games, the resulting or expected outcome in addition to performing the task.

Papers are summarized and evaluated per stimulus type. A summarized description of all 61 studies can be found in **Table 1**. Studies were rated based on whether the stimulus alone induced an alpha asymmetry approach-avoidance effect (one before last column in **Table 1**) and if applicable, whether alpha asymmetry approach-avoidance effects were found for, or in interaction with certain conditions or participant subgroups (last column in **Table 1**). Effects are indicated by “++” for a significant effect, “+” in case of a trend and “0” for no effect. **Supplementary Table 1** contains information on the context or goal of the 61 studies and more details about the stimuli and results. Furthermore, since cortical hemispheric specialization of emotion may differ between left- and right-handed individuals (Harmon-Jones et al., 2008; Walsh et al., 2017), handedness is indicated in the “Participants” column of **Supplementary Table 1**.

TABLE 1 | Overview of studies arranged by stimulus types with (the hypothesized) approach-avoidance effect indicated by ++ (significant), + (trend) and 0 (none) of the stimulus alone, and/or other effects involving the stimulus. Note that many studies were set up for studying the 'other' effect (e.g. interaction with person characteristics or interaction between stimuli and other condition).

Study	Stimuli	Participants	Stimulus effect	Other effect
Images & sounds (n = 18): images (n = 16), sounds (n = 2)				
Deng et al. (2021)	Viewing pictures (neutral, positive, negative and drug-related contents) before and after drug abstaining training.	40 male drug abstainers: training group (n=20) and control group (n = 20)	0	++
Grassini et al. (2020)	Images depicting snakes, spiders, butterflies, and birds.	34 students (28 female)	0	
Gayathiri et al. (2020)	Neutral and high valence - high arousal pictures from the International Affective Picture System (IAPS).	15 adults suffering from major depressive disorder (7 male)	0	+
Adolph et al. (2017)	Negative, neutral, and positive emotional pictures.	43 students (28 female)	0	+
Schöne et al. (2016)	Erotic pictures, pictures of dressed attractive women and control pictures (and pictures of extreme sport and daily activities).	17 male students	++	
Gable and Poole (2014)	Anger pictures and neutral pictures.	32 students (15 female)	0	+
Uusberg et al. (2014)	Affective pictures ranging from very pleasant to unpleasant.	70 students (28 male)	0	
Ischebeck et al. (2014)	Neutral, aversive, and pictures related to OCD (obsessive-compulsive disorder).	20 patients (9 male) with (OCD) and 20 matched healthy controls (8 male)	0	+
Poole and Gable (2014)	Approach-positive, approach-negative, and withdrawal-negative pictures from the internet and IAPS.	48 students (36 female)	0	
Huster et al. (2009)	36 pictures from the IAPS in restricted randomized order- three pictures of the same affective category presented successively.	28 students (13 female)	++	
Rabe et al. (2008)	Four pictures (from IAPS) for 1 min each of category neutral, positive, negative, and trauma-related.	Participants with (subsyndromal) posttraumatic stress disorder receiving cognitive behavioral therapy (n = 17, 15 females) before and after therapy, wait-list controls (n = 18, 10 females)	0	++
Wiedemann et al. (1999)	Neutral, panic-relevant, anxiety-relevant but panic-irrelevant, or anxiety-irrelevant but emotionally relevant pictures, and performance of a motor task.	Patients with panic disorder (n = 23, 3 male) and controls (n = 25, 6 male)	0	++
Gable and Harmon-Jones (2008)	Pictures of dessert or neutral pictures of objects.	26 female students	0	++
Winter et al. (2016)	Food images.	58 female participants recorded twice: once fed, once fasted	0	+
Crabbe et al. (2007)	Unpleasant, neutral and pleasant IAPS pictures, before and after rest and exercise conditions.	34 young, fit and active volunteers (13 female)	0	0
Cartocci et al. (2018)	Six neutral images from IAPS, followed by ten ineffective, effective, and awarded anti-smoking Public Service Announcements.	3 heavy smokers, 11 light smokers, 15 non-smokers	0	++
Chen et al. (2015)	Scary and soothing sound stimuli.	18 students (16 male)	0	++
Papousek et al. (2018)	Three sound recordings: anger/aggression, sadness/desperation, neutral.	62 students (30 male)	0	++
Videos (n = 15)				
Olszewska-Guizzo et al. (2021)	Nine fixed-frame videos, filmed before the pandemic: busy downtown and residential green.	25 adult Singaporeans (14 female)	0	+
Joaquim et al. (2020)	Emotion-eliciting commercials: neutral, tenderness, amusement, sadness, disgust, anger and fear.	25 male and female subjects	+	
Zhao et al. (2018)	Emotion-eliciting film excerpts: tenderness, anger, and neutral.	37 students (17 males)	++	
Cartocci et al. (2017)	Spots and images of awarded, effective and ineffective antismoking public service announcements.	7 non-smokers, 9 light-smokers, 6 heavy-smokers	++	
Papousek et al. (2014)	Film comprising scenes of real injury and death.	148 female university students	++	
Prause et al. (2014)	Neutral and a sexually motivating film.	65 participants (22 females)	++	
Vecchiato et al. (2014)	TV commercials.	24 subjects (12 female) who liked or disliked the commercials	0	++

(Continued)

TABLE 1 | Continued

Study	Stimuli	Participants	Stimulus effect	Other effect
Hosseini et al. (2007)	Movie clips to induce relaxation, happiness, anxiety and sadness.	40 female students (extroverts, introverts, neurotics and emotionally stables)	0	++
Aftanas and Varlamov (2004)	Emotional film clips (neutral, relaxation, joy, anger, sexual arousal, disgust, fear, sadness, stress stimulation).	Non-alexithymic ($n = 27$, 7 male) and alexithymic ($n = 17$, 14 male) participants	0	++
Hakim et al. (2021)	Video commercials of six food products.	33 (13 male) subjects	0	
Walsh et al. (2017)	Videos of food concerns (safety, hygiene and spoilage) and matched control videos.	40 students (31 female)	++	
Hajal et al. (2017)	Videos of own infants expressing distress.	26 mothers of 5- to 8-month-olds	++	+
McGeown and Davis (2018)	Chips to eat and video of confederate eating.	93 female students		++
Missana and Grossmann (2015)	Dynamic happy and fearful body expressions in two second clips.	20 4-month-old (10 female) and 20 8-month-old (10 female) infants	0	++
Lee et al. (2017)	Visual music as an emotional stimulus.	16 participants	++	
Real cues ($n = 11$)				
Kline et al. (2000)	Pleasant (vanilla), unpleasant (valerian), and neutral (water) odors.	58 women, aged between 58 and 70	++	
Kaneko et al. (2019)	Tasting different types of normal drinks, and diluted vinegar.	70 healthy participants (19 men)	0	
Lagast et al. (2020)	Tasting universally accepted (sucrose) and non-accepted (caffeine) solution, a personally selected accepted and non- accepted drink, and water.	32 participants	0	
Sargent et al. (2020)	Two machines to prepare hot beverage.	26 participants (14 females)	++	
Brouwer et al. (2017)	Cooking and tasting chicken or mealworms stir-fry dishes.	41 participants (19 female)	++	+
Olszewska-Guizzo et al. (2020)	Six landscape scenes (urban green and urban downtown).	22 adults (13 female)	+	
Knott et al. (2008)	Induction of neutral mood (holding a pen) or depressive mood (holding lighted cigarette over an ashtray without bringing to mouth).	11 (5 male) regular and 11 (6 male) light smokers	++	+
Modica et al. (2018)	Visual, visuo-tactile and exploration of food (daily food and comfort food; major and private label; foreign and local product).	Experiment 1: $n = 19$; experiment 2: $n = 13$ (5 males)	++	
Bolinger et al. (2020)	Positive prompts: express love, play peek-a-boo, sing; negative prompts: pretend infant has a rash, crawled to an electrical outlet.	25 infant (-parent dyads), 12 females	+	
Uusberg et al. (2015)	Degrees of social contact, varied by different gaze directions of a "live" model.	40 students (13 male)	0	++
Pönkänen and Hietanen (2012)	Neutral and smiling young females with a direct and an averted gaze, presented "live" through a liquid crystal shutter.	22 female undergraduates	0	0
Games ($n = 5$)				
Rodrigues et al. (2018)	Move around in a virtual T maze via joystick, with monster trial (negative event) and sheep trial (positive event).	30 participants (12 male)	++	++
Shankman et al. (2007)	Bogus computerized slot machine paradigm with three reels of numbers and fruit and two different payoff situations: reward and no incentive.	70 individuals with current MDD (29% male), 37 control participants (34% male)	0	+
Harmon-Jones et al. (2008)	Cues indicating that an easy, medium, or hard anagram would be presented and whether correct solution would result in receiving money or avoiding losing money.	Individuals with bipolar spectrum diagnosis ($n = 41$, 61% female) and individuals with no major affective psychopathology ($n = 53$, 49% female)	0	++
Miller and Tomarken (2001)	Delayed reaction time task including manipulations of incentive, expectancy, and response.	60 students (30 male)	++	
Sobotka et al. (1992)	Reward and punishment to responses to up or downward pointing arrows using finger press or finger lift response.	15 students (7 male)	++	

(Continued)

TABLE 1 | Continued

Study	Stimuli	Participants	Stimulus effect	Other effect
Other tasks (n = 12): Imagery (n = 4), modifying facial expression (n = 2), speech, reading and writing (n = 6)				
Mennella et al. (2015)	Imagery task including pleasant, neutral, and unpleasant narratives.	Dysphoric (n = 23) and non-dysphoric (n = 24) individuals	0	++
Wacker et al. (2008)	Emotional imagery of three scenarios of approach-avoidance conflict.	93 young men either high or low in trait behavioral inhibition system (BIS)	0	++
Wacker et al. (2003)	Emotional imagery.	109 male soccer players	++	
Papousek et al. (2017)	Reappraisal Inventiveness Test with anger-eliciting vignettes.	78 female university students	0	++
Stewart et al. (2014)	Producing approach (angry and happy) and withdrawal (afraid and sad) facial expressions.	Individuals with (n = 143) and without (n = 163) lifetime major depressive disorder	0	++
Coan et al. (2001)	Producing facial configurations denoting anger, disgust, fear, joy, and sadness.	36 students (10 male)	0	++
Pérez-Edgar et al. (2013)	Dot-probe paradigm with face pairs depicting angry, happy and neutral expressions, and stressful speech condition.	45 students (23 male)	0	++
Wang et al. (2015)	Public speech combined with reappraisal writing, irrelevant writing, or non-writing.	92 students	0	++
Li et al. (2016)	Writing task describing an anger-eliciting event, where participants were irritated by people with higher or lower social power.	29 students (13 male)	++	
Rejer and Jankowski (2017)	Internet advertisements during a text-reading task.	6 subjects (5 male)	+	
Brouwer et al. (2015a)	Reading a novel with emotional and non-emotional sections.	71 participants (35 female)	++	
Brooker et al. (2016)	Three emotion-eliciting episodes (conversation with experimenter, with stranger, stranger reading a script).	89 longitudinal twin sample (54% male)	++	

for all studies that report it. Most studies use right-handed participants and those that reported to have included left-handed persons stated that the results did not change by doing so.

RESULTS

Figure 2 presents the percentage of studies showing a significant effect of stimuli alone and in interaction with other conditions or participant subgroups, separately for each of the five stimulus categories. In the next sections, studies are discussed per stimulus category.


Images and Sounds (n = 18)

Most studies using sensory unimodal stimuli used visual (n = 16) rather than auditory (n = 2) stimuli. Studies utilizing unimodal stimuli appeared to show a significant effect only when the stimulus was particularly relevant for the participant group. This pattern can be seen in several clinical and substance-related studies.

Rabe et al. (2008) described that patients with posttraumatic stress disorder from motor vehicle accidents had increased right-sided activation during exposure to trauma-related pictures compared to neutral pictures. Cognitive behavioral therapy led to a significant reduction of right anterior activation for the group receiving therapy (n = 17) compared to wait-list controls (n = 18) in response to the trauma stimulus.

Likewise, Wiedemann et al. (1999) conducted a study where patients with panic disorder (n = 23) compared to healthy controls (n = 25) were confronted with neutral (mushroom), panic-relevant (emergency situation), anxiety-relevant but panic-irrelevant (spider), or anxiety-irrelevant but emotionally relevant pictures (erotic image). They found a significant decrease of right compared to left frontal alpha power in response to the emergency picture category for the group with panic disorder but not for the healthy control group. Gayathiri et al. (2020) reported elevated right hemispheric activity, indicating avoidance, when individuals with major depressive disorder (n = 15) viewed images of high valence and arousal relative to neutral ones. Contrary to these studies, Ischebeck et al. (2014) did not find differences between twenty patients with obsessive compulsive disorder and twenty matched controls during viewing neutral, aversive and OCD-related images.

In Deng et al. (2021), drug abstainers' (n = 40) responses to drug-related images were compared to positive, negative, and neutral pictures in the context of evaluating the effect of a training on emotion regulation. While there was no main effect of picture type, improved alpha asymmetry scores for negative and drug-related pictures were found for the training group pre- and post-training. Cartocci et al. (2018) found higher frontal alpha asymmetry for heavy smokers compared to light smokers and non-smokers when viewing effective public service announcement (PSA) pictures. In their earlier study frontal alpha



asymmetry for different PSA images did not differ (Cartocci et al., 2017), which might be attributed to several differences between the studies, such as a lower number of participants in the earlier study ($n = 22$ vs. $n = 39$).

The previously described pattern of responses only in groups for whom the stimuli are relevant is likely also important for non-clinical samples. Schöne et al. (2016) asked seventeen male students to view erotic pictures of high salience as well as depictions of dressed attractive women and found significant results of picture category. Winter et al. (2016) used food images to assess the effect of hedonic hunger and restrained eating on frontal alpha asymmetry with 58 female participants. They found that higher restraint scores were associated with increased right frontal asymmetry and higher hedonic hunger was associated with increased left frontal asymmetry. Additionally, they found that overweight compared to normal weight individuals displayed greater left asymmetry. However, for the condition of fasted and fed state no differences emerged. Gable and Harmon-Jones (2008) did report for 26 female students that while dessert pictures alone did not evoke significant asymmetric activation, more time since eaten and dessert liking related to increased left frontal asymmetry for dessert pictures.

Our search resulted in two studies using auditory stimuli only. Papousek et al. (2018) ($n = 62$ students) explored inter-individual differences in frontal alpha asymmetry to other people's affect using sound recordings of three categories: anger (shouting),

sadness (crying) and neutral (trivial everyday sounds) as a reference condition. Results show that individuals with higher compared to lower level of antagonism (assessed by a Personality Inventory) had less relative right frontal activation (approach) in response to the anger stimulus, whereas subjects with higher levels of detachment displayed greater relative right hemisphere activation (withdrawal) to the crying stimulus. Similarly, in Chen et al. (2015) a sample of 18 students listened to scary and soothing sounds. Subjects who showed a greater withdrawal response to scary sounds displayed a decreased pleasant state, and participants with higher approach motivation showed an increased pleasant state.

Videos ($n = 14$)

As expected, studies using video stimuli showed more often strong approach-avoidance effects than studies using unimodal stimuli (images & sounds), both as effect of the stimuli alone and in interaction with participant characteristics and conditions.

Unlike the anti-smoking image stimuli as described above in section Images and Sounds (Cartocci et al., 2017), anti-smoking video announcements induced effects in alpha asymmetry. Video announcements that had independently been classified as “awarded” induced an increased approach-avoidance effect compared to independently classified “ineffective” and “effective” ones. Another study on this topic (Cartocci et al., 2019) found that smokers showed stronger alpha-asymmetry avoidance than non-smokers in response to anti-smoking videos, highlighting again the importance of the interaction between stimuli and participant characteristics in approach-avoidance effects.

Not all studies using advertising videos have shown positive results. Joaquim et al. (2020) have reported only a trend in correlation between the asymmetry index for low alpha frequency band and negative emotions elicited by commercials viewed by 25 subjects. In a study by Hakim et al. (2021) 33 subjects watched skits from a comedy series followed by commercials of food products and later completed a choice task consisting of six products altogether. Results show that frontal alpha asymmetry as recorded during commercial viewing did not significantly differ for neither closely nor distantly ranked products. Vecchiato et al. (2014) showed six TV commercials (duration around 30 s) to 15 volunteers. Participants were divided into “LIKE” and “DISLIKE” group according to their pleasantness response rating. As expected, the “LIKE” group displayed increased left hemisphere activity compared to the “DISLIKE” group.

Walsh et al. (2017) recruited 40 students and showed them breakfast meal videos of 40 s in duration. The clips contained emotion-eliciting events with hygiene, safety, and spoilage concerns and almost identical controls without such concerns. For the spoilage videos they found greater right hemisphere activation indicating avoidance response when compared to its matched control. For the hygiene and safety videos they did not find significant differences. In another food related study, McGeown and Davis (2018) recorded the brain activity of 93 female students while watching a confederate consuming potato chips, followed by conducting a visual-probe task with non-food and food items of high craving ratings. Overweight participants (based on BMI) compared to leaner counterparts showed

increased left frontal alpha asymmetry during the confederate video and greater attentional bias toward food pictures.

Most video studies used videos to induce basic types of emotion. Zhao et al. (2018) presented three film clips (duration of around 80 s each) to 37 students to elicit tenderness, anger and neutrality. They found greater left frontal activation during the tenderness film clip. The anger eliciting film clip led to expected greater right frontal activation. Papousek et al. (2014) displayed a film with a duration of ~10 min consisting of scenes of severely injured, mourning and dying people, to 148 female students. The expected effect of a right-sided shift of dorsolateral prefrontal asymmetry was found. In Prause et al. (2014) 65 students viewed a neutral film (10 min duration) followed by a sexual film (3 min duration). Increased alpha power was found in the left hemisphere (i.e., approach) during sexual compared to neutral films. Furthermore, self-reported mental sexual arousal and alpha asymmetry were positively correlated. In a study by Hajal et al. (2017) 26 mothers of 5- to 8-month-olds watched a 15-min video composed of 10 s clips of their own infants expressing distress. They found an association between greater right frontal asymmetry shift (from baseline to infant distress video) and higher self-reported sadness.

A large proportion of studies specifically examined the interaction between stimulus and groups of participants with certain characteristics. Hosseini et al. (2007) showed four video clips (duration of 3 min each) to induce relaxation, happiness, anxiety and sadness. Their sample consisted of 40 female students equally divided into four groups: extroverted, introverted, neurotic and emotionally stable. They found that right frontal asymmetry was associated with negative affect for the introvert and emotionally stable groups. Aftanas and Varlamov (2004) showed 10 film neutral and emotional clips each of 1.5–4.5 min duration to individuals with alexithymia ($n = 17$), a personality trait characterized by difficulties in emotional self-regulation, and non-alexithymic ($n = 27$) participants. In all cases subjects with alexithymia showed greater reactivity of the right hemisphere to the emotional clips relative to neutral, suggestive of increased avoidance motivation. Olszewska-Guizzo et al. (2021) found no significant effect for frontal alpha asymmetry for video type (nature exposure and busy public spaces), but a significant decrease of frontal alpha asymmetry as recorded following a national lockdown with a Stay-at-Home order compared to before the pandemic ($n = 22$). Missana and Grossmann (2015) studied a sample of 20 4-month-old and 20 8-month-old infants, and found that only the older infant group showed increased left-sided frontal alpha asymmetry in response to point-light display of happy body expressions and higher right-sided activation in response to fearful body expressions.

Real Cues ($n = 11$)

We expected that in general, real cues should produce stronger approach-avoidance effects than videos. However, the proportion of studies finding significant effects is similar.

Kaneko et al. (2019) and Lagast et al. (2020), who explored the effect of different types of drinks on frontal alpha asymmetry in, respectively, 70 and 32 participants, observed no significant effects. However, odors as researched by Kline et al. (2000)

recording EEG in 58 women have led to increased relative left frontal activation for the pleasant stimulus (vanilla) when compared to unpleasant (valerian) and neutral (water).

Two neuromarketing studies utilizing real cues reported significant results for frontal alpha asymmetry. Modica et al. (2018) compared different categories of food items: daily and comfort food, major and private brands, and foreign and local products in two experiments ($n = 19$ and $n = 13$). They found increased tendency for approaching comfort compared to daily food, and foreign compared to local products during visual exploration and visual and tactile exploration phases. In addition, the private label compared to major brand also showed higher approach in the visual and tactile exploration phases. Similarly, Sargent et al. (2020) compared two machines to prepare hot beverages, one from a market leader and the other from a follower machine in an office setting ($n = 26$). It was shown that the market leader machine's user interface was preferred, indicated by self-reports and supported by significant valence measured by frontal alpha asymmetry and arousal extracted from electrodermal activity measures. Another study using a real food-related stimulus, was conducted by Brouwer et al. (2017), where 41 participants cooked and tasted two stir fry dishes. For one the main ingredient was chicken (hypothesized to induce approach) and for the other mealworms (hypothesized to evoke avoidance). The expected effect of food condition was found in frontal alpha asymmetry throughout the entire cooking and tasting session, significantly during the frying interval.

In a substance study, Knott et al. (2008), exposed 11 regular and 11 light smokers to a neutral and a cigarette-cue (holding a pen and holding a lighted cigarette above an ashtray respectively), while EEG was recorded. Results show that particularly regular female smokers exhibited withdrawal-related negative affect to holding the cigarette compared to holding the pen.

Three studies in our selection used real social interaction cues. In a study with 25 infant-parent dyads, Bolinger et al. (2020) used positive (e.g., parent played peek-a-boo with the infant) and negative prompts (e.g., parent pretended that the infant has rash on his/her face) and found significantly increased right-sided frontal alpha asymmetry (reflecting avoidance or withdrawal) for the negative prompts. No effects were observed for positive and neutral stimuli. Uusberg et al. (2015) and Pönkänen and Hietanen (2012) explored how eye-contact is related to frontal alpha asymmetry. In Uusberg et al. (2015) ($n = 40$) the degree of social contact was varied by gaze direction and as expected, neuroticism was related to stronger right-sided activation in response to direct gaze. In Pönkänen and Hietanen (2012) ($n = 22$) the expected left-sided asymmetry in response to direct gaze was not observed.

Finally, Olszewska-Guizzo et al. (2020) passively exposed 22 adults to pre-selected real landscape scenes, consisting of six park scenes and three busy urban spaces. They found a non-significant trend in the expected direction with higher approach motivation for park compared to urban spaces.

Games ($n = 5$)

Games were expected to be the most potent inducers of approach-avoidance effects. Indeed, this category seems to result

the in the largest proportion of significant results for main stimulus effects, but we should note the modest number of studies in this category ($n = 5$).

Rodrigues et al. (2018) asked 30 participants to move freely around in a virtual T-maze using a joystick. The maze contained monsters and sheep (emotionally negative and positive trials, respectively). The results aligned with the approach-avoidance model, with more left frontal alpha activation during the positive event condition and increased right frontal alpha activation in the negative condition. In Miller and Tomarken (2001), 60 participants underwent a delayed reaction time task with manipulations of the incentive, expectancy, and response. They found that variations in monetary incentives led to the expected changes in alpha asymmetry, i.e., more relative left frontal activation during reward conditions, and shifts to right frontal activation during punishment conditions. Similarly, Sobotka et al. (1992) manipulated reward and punishment in a sample of 15 students. Reward trials were associated with higher activation in the left frontal hemisphere and during punishment trials higher right-sided activation was found.

Two studies in the games category recorded from clinical samples. Shankman et al. (2007) used a slot machine game with reward and no incentive outcomes. Participants included 70 individuals with major depression and 37 controls. No differences in hemispheric asymmetry for the two outcome conditions were observed, and no overall difference between the depressed and non-depressed group. However, they found a trend between age of depression onset and hypothesized approach during reward trials. Participants with early depression onset seemed to exhibit less left frontal activity (less approach) during reward conditions compared to participants with late-onset depression and the control group. Harmon-Jones et al. (2008) explored frontal cortical responses of 41 individuals with bipolar disorders and 53 controls. For this they used anagrams of different difficulty levels (easy, medium and hard) and valence (win money or avoid losing money). They found that as expected, individuals with bipolar disorder showed greater left frontal activation in preparation for the hard-win task compared to controls. Furthermore, while non-bipolar subjects showed a decrease in left frontal activation from medium to hard win trials, those on the bipolar disorder spectrum did not.

Other Tasks ($n = 12$)

Tasks in this category entailed imagery ($n = 4$), modifying facial expression ($n = 2$) and speech, reading and writing tasks ($n = 6$). Overall, “other tasks” stimuli seemed quite potent in eliciting effects in interaction with participant group or condition, but relatively few main effects were reported.

Four studies used a variety of emotional imagery tasks, and all reported significant results. Mennella et al. (2015) measured EEG of a clinical sample of 23 dysphoric and 24 non-dysphoric individuals during pleasant, neutral and unpleasant narratives. They found reduced left relative to right activity irrespective of emotional condition in the dysphoric group compared to the control group, but no main effect of the different emotional tasks. Wacker et al. (2008) found significant approach-avoidance effects using emotional imagery scripts of three approach-avoidance

conflict scenarios and a sample of 93 men with either high or low behavioral inhibition system (BIS) sensitivity. Their results showed that only the group high in trait BIS sensitivity had a significant change toward right-sided activation for the imagery compared to the pre-stimulus phase. In addition, Wacker et al. (2003) induced vivid imagery with relevant soccer scripts in a sample of 109 active, male soccer players. They found significant changes in the alpha band toward left frontal activation for the group with anger-inducing scripts and toward right frontal activation for the control and fear-withdrawal stimuli. Papousek et al. (2017) used a type of imagery task, where female university students ($n = 78$) looked at anger-eliciting vignettes supplemented by matching photographs and were instructed to imagine the depicted situation happening to them. Subsequently, they wrote down possible ways to appraise the situation to diminish anger. In a comparison task, they were asked to generate novel ideas to use a conventional, emotionally neutral object. Participants with greater capacity to generate reappraisal showed greater left-sided activity in the pre-frontal cortex. No difference was found between the two types of emotional task.

Two studies aimed to induce different emotions using facial expression tasks. Both reported significant effects. In Coan et al. (2001) students' ($n = 36$) facial configurations of anger, disgust, fear, joy and sadness matched the expected frontal activation patterns, i.e., less left frontal activity in withdrawal states compared to approach and control states. In Stewart et al. (2014) a participant group with major depressive disorder ($n = 143$) showed less left frontal activity during approach and withdrawal conditions than a control group ($n = 163$).

Six studies used speech, reading and writing tasks. Pérez-Edgar et al. (2013) presented face pairs depicting angry, happy and neutral expressions in a dot-probe paradigm, followed by speech preparation to 45 students. Relative EEG asymmetry was calculated between the speech preparation and baseline. Increased right frontal alpha activation was associated with avoidance of happy, and attentional bias toward angry faces in the dot-probe task. Brooker et al. (2016) conducted a longitudinal twin study ($n = 89$) with three emotion eliciting episodes: conversation with the experimenter, with a stranger and listening to a stranger reading a script. They found that children showed increased asymmetry scores, consistent with approach, during conversing with a stranger and experimenter compared to the stranger script episodes.

In Wang et al. (2015) 92 students were informed that they had to give a speech to elicit anxiety, and they were asked to imagine the speech scenario or think of previous embarrassing experiences. This was followed by a possible writing task depending on the group: reappraisal writing, irrelevant writing and no writing. Afterwards they were asked to re-imagine embarrassing speech scenarios. Compared to the irrelevant writing group, the reappraisal writing group had lower frontal alpha asymmetry scores during the writing manipulation period and higher “approach” frontal alpha asymmetry scores following re-exposure to stress. Li et al. (2016) also used a writing task. Participants ($n = 29$ students) were instructed to think of a situation when they were irritated by people with higher or lower social power. As expected, they found a significant association

between high social power and increased left frontal alpha asymmetry compared to the low social power condition.

In Rejer and Jankowski (2017) six subjects performed a reading task, which was interrupted by internet advertisements. This caused changes in frontal alpha asymmetry though the direction of change differed between subjects. In Brouwer et al. (2015a) 71 participants performed a reading task of a novel where emotional and non-emotional sections were pre-defined. Higher frontal alpha asymmetry was found for high compared to low emotional sections.

DISCUSSION

The aim of this review was to investigate what types of affective stimuli are effective in inducing an approach-avoidance response in frontal alpha asymmetry, in the hope that this will contribute to better understanding and application of alpha asymmetry. We reviewed findings in the affective alpha asymmetry literature following five types of commonly used stimuli that were expected to differ in their effectiveness to engage the subjects: (1) Images & sounds, (2) Videos, (3) Real cues, (4) Games and (5) Other tasks. The first three of these categories represent studies where participants' task mostly consisted of passively perceiving the stimuli, going from unimodal and less realistic, to multimodal and more realistic, where we expected this to be associated with an increasing level of affective engagement and therewith, potency to induce approach-avoidance effects. Tasks were expected to be more motivationally engaging overall, in particular games.

As expected, unimodal images and sounds appeared to be the least potent to induce clear effects—significant effects were almost only reported when the stimulus was particularly relevant for the participant group. Also as expected, studies using video stimuli showed strong approach-avoidance effects more often than studies using images and sounds, both as effect of the stimuli alone and in interaction with participant characteristics and conditions. The proportion of studies finding significant effects using real cues did not seem larger, but was approximately similar, to studies using videos. As expected, the proportion of significant results for main stimulus effects was largest for games, but we should note the modest number of studies in this category, and we conclude they are in the same order as videos and real cues. “Other tasks” stimuli seemed quite potent in eliciting effects in interaction with participant group or condition, but relatively few main effects were reported. Many studies that did not report an effect of stimulus alone reported stimulus effects in association with participant characteristics or other conditions. This makes sense in that the motivational aspect of stimuli is never completely determined by a stimulus itself, but affective approach-avoidance responses arise as an interplay between stimuli and an individual who has certain characteristics and finds him/herself in a certain situation. This aligns with ideas of Coan and colleagues and the capability model, stating that motivational tendency in an individual should be studied within a clear motivational context (Coan et al., 2006). Below, we discuss our results in more detail.

In general, viewing static images may be expected to be not very emotionally and motivationally engaging. The findings of this review revealed that picture presentation could induce approach-avoidance effects if the images were particularly emotionally relevant for the sample group, for instance anxiety-relevant pictures shown to patients with panic disorder (Wiedemann et al., 1999). Thus, for a general sample group, affective images alone might be insufficient to create motivational engagement while stimulus-relevant personal characteristics can potentiate frontal alpha asymmetry (Harmon-Jones et al., 2006; Gable and Harmon-Jones, 2008; Uusberg et al., 2014; Rejer and Jankowski, 2017). Consistent with this, significant correlations have been found between frontal alpha asymmetry and differences in emotive tendencies (e.g., dessert liking) or personality traits (Wacker et al., 2008; for examples see Gable and Harmon-Jones, 2008; Uusberg et al., 2015; Winter et al., 2016). As one of the exceptions, Schöne et al. (2016) showed that presentation of erotic pictures to male students lead to clear alpha asymmetry results, even in a brief (3 s) picture presentation task. They argue that in this case, pictures are the actual desired object themselves, and therefore create a relatively strong approach motivation in contrast to pictures that are a depiction of something that is desirable, such as food. Huster et al. (2009) aimed to improve motivational engagement for pictures by successively displaying three pictures of the same affective category, and found a main effect. Showing pictures of the same category successively also allowed for computation of frontal alpha asymmetry over a longer time period, which may have increased the robustness of the measure (Huster et al., 2009). Note that this points to another overall difference between studies that use images and other stimuli besides expected engagement—the generally short interval per stimulus that used to determine alpha asymmetry may be another factor explaining weak alpha asymmetry results for images.

From the engagement perspective, and consistent with the reasoning by Schöne et al. (2016) as mentioned above, we expected real cues to be particularly effective as they are not just a depiction of something creating a tendency to approach or avoid, but can be the genuine objects to approach or avoid. Indeed, experiments using food, odors and cigarettes found significant effects for frontal alpha asymmetry. However, those employing landscapes and tasting drinks did not. In these studies, noise caused by movement could have prevented clear results. Because body movement causes noise in EEG signals, stimuli employing movement can be expected to be less effective in producing an alpha asymmetry approach-avoidance effect. In Olszewska-Guizzo et al. (2020) participants went from one scene to the other, leading to long time intervals between recordings and hence noisy comparisons between conditions. Furthermore, in Kaneko et al. (2019) participants took sips from cups themselves, which led to noise through movement. On the other hand, Lagast et al. (2020) minimized such movements by using plastic tubes but were still not able to find a significant approach-avoidance effect. Also, results of studies in other stimulus categories did not suggest that in general, modest amounts of movement prohibit finding alpha asymmetry effects.

Out of scope for the current review that focussed on the role of affective stimuli, but also relevant for the approach-avoidance alpha asymmetry effect are data recording, processing, and analysis (for an extensive review, see Smith et al., 2017). A few essential points of consideration are the EEG recording length (Towers and Allen, 2009), selection of the electrode reference (Hagemann and Naumann, 2001; Hagemann, 2004; Stewart et al., 2010) and the reliability of the EEG measurement (Hagemann et al., 2002; Allen et al., 2004a,b). With novel wearable EEG monitoring devices and processing techniques, recordings in less controlled environments are becoming more reliable (e.g., see Aricò et al., 2018; Pion-Tonachini et al., 2019), but controlled experiments and lab-grade equipment will have some advantage on signal quality. Furthermore, aspects of the design besides choice of stimulus such as the number and duration of trials and baselines, analysis (e.g., exact definition of the alpha band and methods for artifact removal) are not standardized and can lead to big differences.

This brings us to the limitations of this literature review. One is that experiments are very diverse and thus difficult to compare. We focused on the overall effect of affective stimulus category. For almost every stimulus category, studies were identified that reported no effect of stimuli on alpha asymmetry at all; but glancing through these studies did not bring to light one obvious factor underlying these null results.

Second, even though keywords were clear, it was noted that not all relevant papers were captured through the search. We do not claim that we here provide an exhaustive overview, and our results should be taken as indicative. Still, we believe that the inclusion of 61 papers results in a representative review of the literature.

Thirdly, we should note that while our choice of stimulus categories was not arbitrary, other choices and definitions of stimulus categories would have been possible as well and could have influenced the conclusions. Also, our categories were not exactly exclusive and sometimes overlapping, e.g., the cooking and tasting experiment by Brouwer et al. (2017) could be arguably belonging to tasks rather than real cues. In such cases, the stimulus' affective content led to the final categorization decision. We hope that our summarizing **Supplementary Table** facilitates potential follow-up research, viewing the results from possible other perspectives.

Furthermore, most of the papers reviewed here reported significant alpha asymmetry approach-avoidance results, or trends in that direction. Papers that reported null findings possibly did not include the keywords used in our search. An example is Walden et al. (2015), where frontal theta activity was studied as a function of approach-avoidance affective autobiographical memory recall. They mention in a footnote that no effect on alpha-asymmetry was observed. In addition, many of such findings were probably withheld from publication in the first place, commonly known as publication bias. Not reporting null-findings is a general problem that could lead to another research group investigating the same line of thought, leading to null findings again, ultimately wasting resources, distorting literature and damaging the integrity of knowledge (Jooper et al., 2012). Furthermore, negative outcomes are valuable for science

since they force critical reflection, validation of current thinking and direct new approaches (Matosin et al., 2014). Therefore, researchers should be more encouraged and journals more open to publish manuscripts reporting negative results. Taking into account the likely underreporting of null findings, and the finding that roughly 50% of studies reporting a solid effect of stimulus only for four of the five categories, where this percentage was even considerably lower for the images & sounds category, we can conclude that alpha asymmetry approach-avoidance is not an easy to find phenomenon, especially not when tested in general populations without further manipulation of context to increase stimulus relevance.

Despite of the aforementioned limitations, the exploration of frontal alpha asymmetry as an indicator of affective approach-avoidance can benefit marketing, human-computer interfaces and the diagnosis of affective disorders. Frontal alpha asymmetry may provide a more objective and continuous measure of mental state than traditional methods that are influenced by social factors and may affect the mental state itself. This review confirmed that overall, strongly engaging, salient and/or personally relevant stimuli are important to induce an approach-avoidance effect and that the selection of stimuli accounts for part of the diversity in alpha asymmetry research. More work is required to gain a better understanding of other factors influencing frontal alpha asymmetry as a marker of emotion.

AUTHOR CONTRIBUTIONS

PS, IS, DK, and A-MB: conceptualization. PS: literature search, summarizing literature, and writing first draft. All authors contributed to revising the article and approved the submitted version.

FUNDING

This research was funded by the Kikkoman Europe R&D Laboratory B.V. The authors declare that this study received funding from Kikkoman Europe R&D Laboratory B.V. Other than that one of the co-authors (Daisuke Kaneko) was employed by Kikkoman Europe R&D Laboratory B.V., the funder was not involved in the study design, collection, analysis, interpretation of data, the writing of this article or the decision to submit it for publication.

ACKNOWLEDGMENTS

We gratefully acknowledge comments of Dimitra Dodou on a previous version of this work.

SUPPLEMENTARY MATERIAL

The Supplementary Material for this article can be found online at: <https://www.frontiersin.org/articles/10.3389/fcomp.2022.869123/full#supplementary-material>

REFERENCES

- Adolph, D., von Glischinski, M., Wannemüller, A., and Margraf, J. (2017). The influence of frontal alpha-asymmetry on the processing of approach- and withdrawal-related stimuli—A multichannel psychophysiology study. *Psychophysiology* 54, 1295–1310. doi: 10.1111/psyp.12878
- Aftanas, L., and Varlamov, A. (2004). Associations of alexithymia with anterior and posterior activation asymmetries during evoked emotions: EEG evidence of right hemisphere “electrocortical effort.” *Int. J. Neurosci.* 114, 1443–1462. doi: 10.1080/00207450490509230
- Ahern, G. L., and Schwartz, G. E. (1985). Differential lateralization for positive and negative emotion in the human brain: EEG spectral analysis. *Neuropsychologia* 23, 745–755. doi: 10.1016/0028-3932(85)90081-8
- Alford, L. B. (1933). Localization of consciousness and emotion. *Am. J. Psychiatry* 89, 789–799. doi: 10.1176/ajp.89.4.789
- Allen, J. J. B., Coan, J. A., and Nazarian, M. (2004a). Issues and assumptions on the road from raw signals to metrics of frontal EEG asymmetry in emotion. *Biol. Psychol.* 67, 183–218. doi: 10.1016/j.biopsycho.2004.03.007
- Allen, J. J. B., Urry, H. L., Hitt, S. K., and Coan, J. A. (2004b). The stability of resting frontal electroencephalographic asymmetry in depression. *Psychophysiology* 41, 269–280. doi: 10.1111/j.1469-8986.2003.00149.x
- Alves, N. T., Fukusima, S. S., and Aznar-Casanova, J. A. (2008). Models of brain asymmetry in emotional processing. *Psychol. Neurosci.* 1, 63–66. doi: 10.3922/j.pns.2008.1.010
- Aricò, P., Borghini, G., Di Flumeri, G., Sciaraffa, N., and Babiloni, F. (2018). Passive BCI beyond the lab: current trends and future directions. *Physiol. Meas.* 39, 08TR02. doi: 10.1088/1361-6579/aad57e
- Babiloni, F., Rossi, D., Cherubino, P., Trettel, A., Picconi, D., Maglione, A. G., et al. (2015). “The first impression is what matters: a neuroaesthetic study of the cerebral perception and appreciation of paintings by Titian,” in *Proceedings of the Annual International Conference of the IEEE Engineering in Medicine and Biology Society, EMBS*. (Titian: Institute of Electrical and Electronics Engineers Inc.), 7990–7993.
- Baldwin, C. L., and Penaranda, B. N. (2012). Adaptive training using an artificial neural network and EEG metrics for within- and cross-task workload classification. *Neuroimage* 59, 48–56. doi: 10.1016/j.neuroimage.2011.07.047
- Bartolomé-Tomás, A., Sánchez-Reolid, R., Fernández-Sotos, A., Latorre, J. M., and Fernández-Caballero, A. (2020). Arousal detection in elderly people from electrodermal activity using musical stimuli. *Sensors* 20, 4788. doi: 10.3390/s20174788
- Berkman, E. T., and Lieberman, M. D. (2010). Approaching the bad and avoiding the good: Lateral prefrontal cortical asymmetry distinguishes between action and valence. *J. Cogn. Neurosci.* 22, 1970–1979. doi: 10.1162/jocn.2009.21317
- Bolinger, E., Ngo, H. V., Kock, V., Wassen, D. T., Matuz, T., et al. (2020). Affective cortical asymmetry at the early developmental emergence of emotional expression. *eNeuro* 7, 1–10. doi: 10.1523/ENEURO.0042-20.2020
- Briesemeister, B. B., Tamm, S., Heine, A., and Jacobs, A. M. (2013). Approach the good, withdraw from the bad—A review on frontal alpha asymmetry measures in applied psychological research. *Psychology* 4, 261–267. doi: 10.4236/psych.2013.43A039
- Brooker, R. J., Davidson, R. J., and Goldsmith, H. H. (2016). Maternal negative affect during infancy is linked to disrupted patterns of diurnal cortisol and alpha asymmetry across contexts during childhood. *J. Exp. Child Psychol.* 142, 274–290. doi: 10.1016/j.jecp.2015.08.011
- Brouwer, A. M., Hogervorst, M., Reuderink, B., van der Werf, Y., and van Erp, J. (2015a). Physiological signals distinguish between reading emotional and non-emotional sections in a novel. *Brain Comp. Interf.* 2, 76–89. doi: 10.1080/2326263X.2015.1100037
- Brouwer, A. M., Hogervorst, M. A., Grootjen, M., van Erp, J. B. F., and Zandstra, E. H. (2017). Neurophysiological responses during cooking food associated with different emotions. *Food Qual. Prefer.* 62, 307–316. doi: 10.1016/j.foodqual.2017.03.005
- Brouwer, A. M., Zander, T. O., van Erp, J. B. F., Korteling, J. E., and Bronkhorst, A. W. (2015b). Using neurophysiological signals that reflect cognitive or affective state: six recommendations to avoid common pitfalls. *Front. Neurosci.* 9, 136. doi: 10.3389/fnins.2015.00136
- Cartocci, G., Caratù, M., Modica, E., Maglione, A. G., Rossi, D., Cherubino, P., et al. (2017). Electroencephalographic, heart rate, and galvanic skin response assessment for an advertising perception study: application to antismoking public service announcements. *J. Vis. Exp.* 126, 55872. doi: 10.3791/55872
- Cartocci, G., Modica, E., Rossi, D., Cherubino, P., Maglione, A. G., Colosimo, A., et al. (2018). Neurophysiological measures of the perception of antismoking public service announcements among young population. *Front. Hum. Neurosci.* 12, 231. doi: 10.3389/fnhum.2018.00231
- Cartocci, G., Modica, E., Rossi, D., Inguscio, B., Arico, P., Levy, A. C. M., et al. (2019). Antismoking campaigns? Perception and gender differences: a comparison among EEG indices. *Comput. Intell. Neurosci.* 2019, 7348795. doi: 10.1155/2019/7348795
- Cartocci, G., Rossi, D., Modica, E., Maglione, A. G., Martinez Levy, A. C., Cherubino, P., et al. (2021). Neurodante: poetry mentally engages more experts but moves more non-experts, and for both the cerebral approach tendency goes hand in hand with the cerebral effort. *Brain Sci.* 11, 1–25. doi: 10.3390/brainsci11030281
- Carver, C. S., and Harmon-Jones, E. (2009). Anger is an approach-related affect: evidence and implications. *Psychol. Bull.* 135, 183–204. doi: 10.1037/a0013965
- Chen, X., Takahashi, I., Okita, Y., Hirata, H., and Sugiura, T. (2015). Psychological response to sound stimuli evaluated by EEG: joint consideration of AAE model and comfort vector model. *J. Psychophysiol.* 29, 112–118. doi: 10.1027/0269-8803/a000142
- Christopoulos, G. I., Uy, M. A., and Yap, W. J. (2019). The body and the brain: measuring skin conductance responses to understand the emotional experience. *Organ. Res. Methods* 22, 394–420. doi: 10.1177/1094428116681073
- Coan, J. A., and Allen, J. J. B. (2003). Frontal EEG asymmetry and the behavioral activation and inhibition systems. *Psychophysiology* 40, 106–114. doi: 10.1111/1469-8986.00011
- Coan, J. A., and Allen, J. J. B. (2004). Frontal EEG asymmetry as a moderator and mediator of emotion. *Biol. Psychol.* 67, 7–50. doi: 10.1016/j.biopsycho.2004.03.002
- Coan, J. A., Allen, J. J. B., and Harmon-Jones, E. (2001). Voluntary facial expression and hemispheric asymmetry over the frontal cortex. *Psychophysiology* 38, 912–925. doi: 10.1111/1469-8986.3860912
- Coan, J. A., Allen, J. J. B., and McKnight, P. E. (2006). A capability model of individual differences in frontal EEG asymmetry. *Biol. Psychol.* 72, 198–207. doi: 10.1016/j.biopsycho.2005.10.003
- Cook, I. A., O’Hara, R., Uijtdehaage, S. H. J., Mandelkern, M., and Leuchter, A. F. (1998). Assessing the accuracy of topographic EEG mapping for determining local brain function. *Electroencephalogr. Clin. Neurophysiol.* 107, 408–414. doi: 10.1016/S0013-4694(98)00092-3
- Crabbe, J. B., Smith, J. C., and Dishman, R. K. (2007). Emotional & electroencephalographic responses during affective picture viewing after exercise. *Physiol. Behav.* 90, 394–404. doi: 10.1016/j.physbeh.2006.10.001
- Daly, I., Williams, D., Hwang, F., Kirke, A., Miranda, E. R., and Nasuto, S. J. (2019). Electroencephalography reflects the activity of sub-cortical brain regions during approach-withdrawal behaviour while listening to music. *Sci. Rep.* 9, 1–22. doi: 10.1038/s41598-019-45105-2
- Davidson, R. J. (1984). “Affect, cognition, and hemispheric specialization,” in *Emotion, Cognition, and Behavior*, eds. C. R. Izard, J. Kagan, and R. B. Zajonc (New York, NY: Cambridge University Press), 320–365.
- Davidson, R. J. (2004). What does the prefrontal cortex “do” in affect: perspectives on frontal EEG asymmetry research. *Biol. Psychol.* 67, 219–234. doi: 10.1016/j.biopsycho.2004.03.008
- Davidson, R. J., Ekman, P., Saron, C. D., Senulis, J. A., and Friesen, W. V. (1990). Approach-withdrawal and cerebral asymmetry: emotional expression and brain physiology I. *J. Pers. Soc. Psychol.* 58, 330–341. doi: 10.1037/0022-3514.58.2.330
- Davidson, R. J., and Irwin, W. (1999). The functional neuroanatomy of emotion and affective style. *Trends Cogn. Sci.* 3, 11–21. doi: 10.1016/S1364-6613(98)01265-0
- Davidson, R. J., Schaffer, C. E., and Saron, C. (1985). Effects of lateralized presentations of faces on self-reports of emotion and EEG asymmetry in depressed and non-depressed subjects. *Psychophysiology* 22, 353–364. doi: 10.1111/j.1469-8986.1985.tb01615.x
- Dell, N., Vaidyanathan, V., Medhi, I., Cutrell, E., and Thies, W. (2012). “‘yours is better!’ Participant response bias in HCI,” in *Conference on Human Factors in Computing Systems - Proceedings*, eds J. A. Konstan, E. H. Chi, and K. Hook (New York, NY, USA: ACM), 1321–1330.

- Deng, Y., Hou, L., Chen, X., and Zhou, R. (2021). Working memory training improves emotion regulation in drug abstainers: evidence from frontal alpha asymmetry. *Neurosci. Lett.* 742, 135513. doi: 10.1016/j.neulet.2020.135513
- Denny-brown, D., Meyer, J. S., and Horenstein, S. (1952). The significance of perceptual rivalry resulting from parietal lesion. *Brain* 75, 432–471. doi: 10.1093/brain/75.4.432
- Diaz, A., and Bell, M. A. (2012). Frontal EEG asymmetry and fear reactivity in different contexts at 10 months. *Dev. Psychobiol.* 54, 536–545. doi: 10.1002/dev.20612
- Gable, P., and Harmon-Jones, E. (2008). Relative left frontal activation to appetitive stimuli: considering the role of individual differences. *Psychophysiology* 45, 275–278. doi: 10.1111/j.1469-8986.2007.00627.x
- Gable, P. A., and Poole, B. D. (2014). Influence of trait behavioral inhibition and behavioral approach motivation systems on the LPP and frontal asymmetry to anger pictures. *Soc. Cogn. Affect. Neurosci.* 9, 182–190. doi: 10.1093/scan/nss130
- Gabriel, D., Merat, E., Jeudy, A., Cambos, S., Chabin, T., Giustiniani, J., et al. (2021). Emotional effects induced by the application of a cosmetic product: a real-time electrophysiological evaluation. *Appl. Sci.* 11, 4766. doi: 10.3390/app11114766
- Gawronski, B., and de Houwer, J. (2014). “Implicit measures in social and personality psychology,” in *Handbook of Research Methods in Social and Personality Psychology*, eds H. Reis and C. Judd (Cambridge: Cambridge University Press), 283–310.
- Gayathiri, R. R., Bhuvana Devi, M., Kavya, G. A., Veezhinathan, M., and Geethanjali, B. (2020). “EEG based visualization and analysis of emotional processing in major depressive disorder,” in *2020 6th International Conference on Advanced Computing and Communication Systems, ICACCS 2020*. (Institute of Electrical and Electronics Engineers Inc.), 336–341.
- Goldstein, K. (2004). *The Organism: A Holistic Approach to Biology Derived From Pathological Data in Man*. American Book Publishing
- Grassini, S., Sikka, P., Revonsuo, A., and Koivisto, M. (2020). Subjective ratings of fear are associated with frontal late positive potential asymmetry, but not with early brain activity over the occipital and centro-parietal cortices. *Psychophysiology* 57, e13665. doi: 10.1111/psyp.13665
- Hagemann, D. (2004). Individual differences in anterior EEG asymmetry: methodological problems and solutions. *Biol. Psychol.* 67, 157–182. doi: 10.1016/j.biopsycho.2004.03.006
- Hagemann, D., and Naumann, E. (2001). The effects of ocular artifacts on (lateralized) broadband power in the EEG. *Clin. Neurophysiol.* 112, 215–231. doi: 10.1016/S1388-2457(00)00541-1
- Hagemann, D., Thayer, J. F., Naumann, E., and Bartussek, D. (2002). Does resting electroencephalograph asymmetry reflect a trait? An application of latent state-trait theory. *J. Person. Soc. Psychol.* 82, 619–641. doi: 10.1037/0022-3514.82.4.619
- Hajal, N. J., Cole, P. M., and Teti, D. M. (2017). Maternal responses to infant distress: linkages between specific emotions and neurophysiological processes. *Parenting* 17, 200–224. doi: 10.1080/15295192.2017.1336001
- Hakim, A., Klorfeld, S., Sela, T., Friedman, D., Shabat-Simon, M., and Levy, D. J. (2021). Machines learn neuromarketing: improving preference prediction from self-reports using multiple EEG measures and machine learning. *Int. J. Res. Market.* 38, 770–791. doi: 10.1016/j.ijresmar.2020.10.005
- Harmon-Jones, E., Abramson, L. Y., Nusslock, R., Sigelman, J. D., Urosevic, S., Turonie, L. D., et al. (2008). Effect of bipolar disorder on left frontal cortical responses to goals differing in valence and task difficulty. *Biol. Psychiatry* 63, 693–698. doi: 10.1016/j.biopsycho.2007.08.004
- Harmon-Jones, E., Gable, P. A., and Peterson, C. K. (2010). The role of asymmetric frontal cortical activity in emotion-related phenomena: a review and update. *Biol. Psychol.* 84, 451–462. doi: 10.1016/j.biopsycho.2009.08.010
- Harmon-Jones, E., Lueck, L., Fearn, M., and Harmon-Jones, C. (2006). The effect of personal relevance and approach-related action expectation on relative left frontal cortical activity. *Psychol. Sci.* 17, 434–440. doi: 10.1111/j.1467-9280.2006.01724.x
- Hosseini, S. M., Fallah, P. A., Tabatabaei, S. K. R., Ladani, S. H. G., and Heise, C. (2007). Brain activity, personality traits and affect: electrocortical activity in reaction to affective film stimuli. *J. Appl. Sci.* 7, 3743–3749. doi: 10.3923/jas.2007.3743.3749
- Huster, R. J., Stevens, S., Gerlach, A. L., and Rist, F. (2009). A spectralanalytic approach to emotional responses evoked through picture presentation. *Int. J. Psychophysiol.* 72, 212–216. doi: 10.1016/j.ijpsycho.2008.12.009
- Inguscio, B. M. S., Cartocci, G., Modica, E., Rossi, D., Martinez-Levy, A. C., Cherubino, P., et al. (2021). Smoke signals: a study of the neurophysiological reaction of smokers and non-smokers to smoking cues inserted into antismoking public service announcements. *Int. J. Psychophysiol.* 167, 22–29. doi: 10.1016/j.ijpsycho.2021.06.010
- Ischebeck, M., Endrass, T., Simon, D., and Kathmann, N. (2014). Altered frontal EEG asymmetry in obsessive-compulsive disorder. *Psychophysiology* 51, 596–601. doi: 10.1111/psyp.12214
- Joaquim, M. S., Maçorano, R., Canais, F., Ramos, R., Fred, A. L., Torrado, M., et al. (2020). “Learning data representation and emotion assessment from physiological data,” in *ICASSP, IEEE International Conference on Acoustics, Speech and Signal Processing - Proceedings*. (Institute of Electrical and Electronics Engineers Inc.), 3452–3456.
- Joobee, R., Schmitz, N., Annable, L., and Boksa, P. (2012). Publication bias: What are the challenges and can they be overcome? *J. Psychiatry Neurosci.* 37, 149–152. doi: 10.1503/jpn.120065
- Kaneko, D., Hogervorst, M., Toet, A., van Erp, J. B. F., Kallen, V., and Brouwer, A. M. (2019). Explicit and implicit responses to tasting drinks associated with different tasting experiences. *Sensors (Basel)* 19, 4397. doi: 10.3390/s19204397
- Kaneko, D., Toet, A., Brouwer, A. M., Kallen, V., and van Erp, J. B. F. (2018). Methods for evaluating emotions evoked by food experiences: a literature review. *Front. Psychol.* 9, 911. doi: 10.3389/fpsyg.2018.00911
- Kline, J. P., Blackhart, G. C., Woodward, K. M., Williams, S. R., and Schwartz, G. E. R. (2000). Anterior electroencephalographic asymmetry changes in elderly women in response to a pleasant and an unpleasant odor. *Biol. Psychol.* 52, 241–250. doi: 10.1016/S0301-0511(99)00046-0
- Knott, V. J., Naccache, L., Cyr, E., Fisher, D. J., McIntosh, J. F., Millar, A. M., et al. (2008). Craving-induced EEG reactivity in smokers: effects of mood induction, nicotine dependence and gender. *Neuropsychobiology* 58, 187–199. doi: 10.1159/000201716
- Lagast, S., de Steur, H., Gadeyne, S., Hödl, S., Staljanseens, W., Vonck, K., et al. (2020). Heart rate, electrodermal responses and frontal alpha asymmetry to accepted and non-accepted solutions and drinks. *Food Qual. Prefer.* 82, 103893. doi: 10.1016/j.foodqual.2020.103893
- Lagast, S., Gellynck, X., Schouteten, J. J., de Herdt, V., and de Steur, H. (2017). Consumers’ emotions elicited by food: a systematic review of explicit and implicit methods. *Trends Food Sci. Technol.* 69, 172–189. doi: 10.1016/j.tifs.2017.09.006
- Lee, I. E., Latchoumane, C. -F. V., and Jeong, J. (2017). Arousal rules: An empirical investigation into the aesthetic experience of cross-modal perception with emotional visual music. *Front. Psychol.* 8, 440. doi: 10.3389/fpsyg.2017.00440
- Li, D., Wang, C., Yin, Q., Mao, M., Zhu, C., and Huang, Y. (2016). Frontal cortical asymmetry may partially mediate the influence of social power on anger expression. *Front. Psychol.* 7, 73. doi: 10.3389/fpsyg.2016.00073
- Lottridge, D., Chignell, M., and Yasumura, M. (2012). Identifying emotion through implicit and explicit measures: Cultural differences, cognitive load, and immersion. *IEEE Transact. Affect. Comp.* 3, 199–210. doi: 10.1109/T-AFFC.2011.36
- Matosin, N., Frank, E., Engel, M., Lum, J. S., and Newell, K. A. (2014). Negativity towards negative results: a discussion of the disconnect between scientific worth and scientific culture. *Dis. Models Mech.* 7, 171–173. doi: 10.1242/dmm.015123
- Maus, I. B., and Robinson, M. D. (2009). Measures of emotion: a review. *Cogn. Emot.* 23, 209–237. doi: 10.1080/0269930802204677
- McGeown, L., and Davis, R. (2018). Frontal EEG asymmetry moderates the association between attentional bias towards food and body mass index. *Biol. Psychol.* 136, 151–160. doi: 10.1016/j.biopsycho.2018.06.001
- Mennella, R., Messerotti Benvenuti, S., Buodo, G., and Palomba, D. (2015). Emotional modulation of alpha asymmetry in dysphoria: results from an emotional imagery task. *Int. J. Psychophysiol.* 97, 113–119. doi: 10.1016/j.ijpsycho.2015.05.013
- Miller, A., and Tomarken, A. J. (2001). Task-dependent changes in frontal brain asymmetry: effects of incentive cues, outcome expectancies, and motor responses. *Psychophysiology* 38, 500–511. doi: 10.1111/1469-8986.3830500

- Missana, M., and Grossmann, T. (2015). Infants' emerging sensitivity to emotional body expressions: Insights from asymmetrical frontal brain activity. *Dev. Psychol.* 51, 151–160. doi: 10.1037/a0038469
- Modica, E., Cartocci, G., Rossi, D., Levy, A. C. M., Cherubino, P., Magilone, A. G., et al. (2018). Neurophysiological responses to different product experiences. *Comput. Intell. Neurosci.* 2018, 1–10. doi: 10.1155/2018/9616301
- Olszewska-Guizzo, A., Fogel, A., Escoffier, N., and Ho, R. (2021). Effects of COVID-19-related stay-at-home order on neuropsychophysiological response to urban spaces: beneficial role of exposure to nature? *J. Environ. Psychol.* 75, 101590. doi: 10.1016/j.jenvp.2021.101590
- Olszewska-Guizzo, A., Sia, A., Fogel, A., and Ho, R. (2020). Can exposure to certain urban green spaces trigger frontal alpha asymmetry in the brain?—Preliminary findings from a passive task EEG study. *Int. J. Environ. Res. Public Health* 17, 394. doi: 10.3390/ijerph17020394
- Papousek, I., Aydin, N., Rominger, C., Feyaerts, K., Schmid-Zaladek, K., Lackner, H. K., et al. (2018). DSM-5 personality trait domains and withdrawal versus approach motivational tendencies in response to the perception of other people's desperation and angry aggression. *Biol. Psychol.* 132, 106–115. doi: 10.1016/j.biopsycho.2017.11.010
- Papousek, I., Weiss, E. M., Perchtold, C. M., Weber, H., de Assunção, V. L., Schulte, G., et al. (2017). The capacity for generating cognitive reappraisals is reflected in asymmetric activation of frontal brain regions. *Brain Imaging Behav.* 11, 577–590. doi: 10.1007/s11682-016-9537-2
- Papousek, I., Weiss, E. M., Schulte, G., Fink, A., Reiser, E. M., and Lackner, H. K. (2014). Prefrontal EEG alpha asymmetry changes while observing disaster happening to other people: cardiac correlates and prediction of emotional impact. *Biol. Psychol.* 103, 184–194. doi: 10.1016/j.biopsycho.2014.09.001
- Pérez-Edgar, K., Kujawa, A., Nelson, S. K., Cole, C., and Zapp, D. J. (2013). The relation between electroencephalogram asymmetry and attention biases to threat at baseline and under stress. *Brain Cogn.* 82, 337–343. doi: 10.1016/j.bandc.2013.05.009
- Pion-Tonachini, L., Kreutz-Delgado, K., and Makeig, S. (2019). ICLabel: an automated electroencephalographic independent component classifier, dataset, and website. *Neuroimage* 198, 181–197. doi: 10.1016/j.neuroimage.2019.05.026
- Pönkänen, L. M., and Hietanen, J. K. (2012). Eye contact with neutral and smiling faces: effects on autonomic responses and frontal EEG asymmetry. *Front. Hum. Neurosci.* 6, 122. doi: 10.3389/fnhum.2012.00122
- Poole, B. D., and Gable, P. A. (2014). Affective motivational direction drives asymmetric frontal hemisphere activation. *Exp. Brain Res.* 232, 2121–2130. doi: 10.1007/s00221-014-3902-4
- Prause, N., Staley, C., and Roberts, V. (2014). Frontal alpha asymmetry and sexually motivated states. *Psychophysiology* 51, 226–235. doi: 10.1111/psyp.12173
- Rabe, S., Zoellner, T., Beauducel, A., Maercker, A., and Karl, A. (2008). Changes in brain electrical activity after cognitive behavioral therapy for posttraumatic stress disorder in patients injured in motor vehicle accidents. *Psychosom. Med.* 70, 13–19. doi: 10.1097/PSY.0b013e31815aa325
- Rejer, I., and Jankowski, J. (2017). Brain activity patterns induced by interrupting the cognitive processes with online advertising. *Cogn. Process.* 18, 419–430. doi: 10.1007/s10339-017-0815-8
- Reuderink, B., Mühl, C., and Poel, M. (2013). Valence, arousal and dominance in the EEG during game play. *Int. J. Auton. Adapt. Commun. Syst.* 6, 45–62. doi: 10.1504/IJAACS.2013.050691
- Rodrigues, J., Müller, M., Mühlberger, A., and Hewig, J. (2018). Mind the movement: frontal asymmetry stands for behavioral motivation, bilateral frontal activation for behavior. *Psychophysiology* 55. doi: 10.1111/psyp.12908
- Russell, J. A. (1980). A circumplex model of affect. *J. Pers. Soc. Psychol.* 39, 1161–1178. doi: 10.1037/h0077714
- Rutherford, H. J. V., and Lindell, A. K. (2011). Thriving and surviving: approach and avoidance motivation and lateralization. *Emot. Rev.* 3, 333–343. doi: 10.1177/1754073911402392
- Sargent, A., Watson, J., Ye, H., Suri, R., and Ayaz, H. (2020). Neuroergonomic assessment of hot beverage preparation and consumption: an EEG and EDA study. *Front. Hum. Neurosci.* 14, 175. doi: 10.3389/fnhum.2020.00175
- Scherer, K. R., and Ekman, P. (1984). *Approaches To Emotion*. New York, NY: Psychology Press.
- Schöne, B., Schomberg, J., Gruber, T., and Quirin, M. (2016). Event-related frontal alpha asymmetries: electrophysiological correlates of approach motivation. *Exp. Brain Res.* 234, 559–567. doi: 10.1007/s00221-015-4483-6
- Shankman, S. A., Klein, D. N., Tenke, C. E., and Bruder, G. E. (2007). Reward sensitivity in depression: a biobehavioral study. *J. Abnorm. Psychol.* 116, 95–104. doi: 10.1037/0021-843X.116.1.95
- Smith, E. E., Reznik, S. J., Stewart, J. L., and Allen, J. J. B. (2017). Assessing and conceptualizing frontal EEG asymmetry: an updated primer on recording, processing, analyzing, and interpreting frontal alpha asymmetry. *Int. J. Psychophysiol.* 111, 98–114. doi: 10.1016/j.ijpsycho.2016.11.005
- Sobotka, S. S., Davidson, R. J., and Senulis, J. A. (1992). Anterior brain electrical asymmetries in response to reward and punishment. *Electroencephalogr. Clin. Neurophysiol.* 83, 236–247. doi: 10.1016/0013-4694(92)90117-Z
- Songsamoe, S., Saengwong-ngam, R., Koomhin, P., and Matan, N. (2019). Understanding consumer physiological and emotional responses to food products using electroencephalography (EEG). *Trends Food Sci. Technol.* 93, 167–173. doi: 10.1016/j.tifs.2019.09.018
- Stewart, J. L., Bismark, A. W., Towers, D. N., Coan, J. A., and Allen, J. J. B. (2010). Resting frontal EEG asymmetry as an endophenotype for depression risk: sex-specific patterns of frontal brain asymmetry. *J. Abnorm. Psychol.* 119, 502–512. doi: 10.1037/a0019196
- Stewart, J. L., Coan, J. A., Towers, D. N., and Allen, J. J. B. (2014). Resting and task-elicited prefrontal EEG alpha asymmetry in depression: support for the capability model. *Psychophysiology* 51, 446–455. doi: 10.1111/psyp.12191
- Towers, D. N., and Allen, J. J. B. (2009). A better estimate of the internal consistency reliability of frontal EEG asymmetry scores. *Psychophysiology* 46, 132–142. doi: 10.1111/j.1469-8986.2008.00759.x
- Tucker, M., Stenslie, C. E., Roth, R. S., and Shearer, S. L. (1981). Right frontal lobe activation and right hemisphere performance: decrement during a depressed mood. *Arch. Gen. Psychiatry* 38, 169–174. doi: 10.1001/archpsyc.1981.01780270055007
- Uusberg, A., Uibo, H., Tiimus, R., Sarapu, H., Kreegipuu, K., and Allik, J. (2014). Approach-avoidance activation without anterior asymmetry. *Front. Psychol.* 5, 192. doi: 10.3389/fpsyg.2014.00192
- Uusberg, H., Allik, J., and Hietanen, J. K. (2015). Eye contact reveals a relationship between neuroticism and anterior EEG asymmetry. *Neuropsychologia* 73, 161–168. doi: 10.1016/j.neuropsychologia.2015.05.008
- Vecchiato, G., Cherubino, P., Maglione, A. G., Ezquierro, M. T. H., Marinozzi, F., Bini, F., et al. (2014). How to measure cerebral correlates of emotions in marketing relevant tasks. *Cognit. Comput.* 6, 856–871. doi: 10.1007/s12559-014-9304-x
- Wacker, J., Chavanon, M. L., Leue, A., and Stemmler, G. (2008). Is running away right? The behavioral activation-behavioral inhibition model of anterior asymmetry. *Emotion* 8, 232–249. doi: 10.1037/1528-3542.8.2.232
- Wacker, J., Heldmann, M., and Stemmler, G. (2003). Separating emotion and motivational direction in fear and anger: effects on frontal asymmetry. *Emotion* 3, 167–193. doi: 10.1037/1528-3542.3.2.167
- Walden, K., Pornpattananangkul, N., Curlee, A., McAdams, D. P., and Nusslock, R. (2015). Posterior versus frontal theta activity indexes approach motivation during affective autobiographical memories. *Cogn. Affect. Behav. Neurosci.* 15, 132–144. doi: 10.3758/s13415-014-0322-7
- Walsh, A. M., Duncan, S. E., Bell, M. A., O'Keefe, S. F., and Gallagher, D. L. (2017). Integrating implicit and explicit emotional assessment of food quality and safety concerns. *Food Qual. Prefer.* 56, 212–224. doi: 10.1016/j.foodqual.2016.11.002
- Wang, F., Wang, C., Yin, Q., Wang, K., Li, D., Mao, M., et al. (2015). Reappraisal writing relieves social anxiety and may be accompanied by changes in frontal alpha asymmetry. *Front. Psychol.* 6, 1604. doi: 10.3389/fpsyg.2015.01604
- Wiedemann, G., Pauli, P., Dengler, W., Lutzenberger, W., Birbaumer, N., and Buchkremer, G. (1999). Frontal brain asymmetry as a biological substrate of emotions in patients with panic disorders. *Arch. Gen. Psychiatry* 56, 78–84. doi: 10.1001/archpsyc.56.1.78

- Winter, S. R., Feig, E. H., Kounios, J., Erickson, B., Berkowitz, S., and Lowe, M. R. (2016). The relation of hedonic hunger and restrained eating to lateralized frontal activation. *Physiol. Behav.* 163, 64–69. doi: 10.1016/j.physbeh.2016.04.050
- Zhao, G., Zhang, Y., Ge, Y., Zheng, Y., Sun, X., and Zhang, K. (2018). Asymmetric hemisphere activation in tenderness: evidence from EEG signals. *Sci. Rep.* 8, 1–9. doi: 10.1038/s41598-018-26133-w

Conflict of Interest: DK was employed by Kikkoman Europe R&D Laboratory B.V.

The remaining authors declare that the research was conducted in the absence of any commercial or financial relationships that could be construed as a potential conflict of interest.

Publisher's Note: All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.

Copyright © 2022 Sabu, Stuldreher, Kaneko and Brouwer. This is an open-access article distributed under the terms of the Creative Commons Attribution License (CC BY). The use, distribution or reproduction in other forums is permitted, provided the original author(s) and the copyright owner(s) are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.

Supplementary Table 1: Overview of studies divided into stimulus types as presented in Table 1 in the main manuscript with more information on the stimuli, context, participants and results. Participant's handedness is included in the participants column by R (right-handed), L (left-handed) or NA (not available).

Study	Stimuli	Context	Participants	Results
Images & Sounds (n=18): Images (n=16), sounds (n=2)				
Deng et al., 2021	Viewing pictures (including neutral, positive, negative and drug-related contents) before and after the training.	Explore effect of working memory training (WMT) on emotion regulation in drug abstiners.	40 male drug abstiners: training group (n=20) with running memory task and control group (n=20) without training task R	Training group adopted more spontaneous emotion regulation strategies and improved asymmetry scores when viewing negative and drug-related pictures compared to pretest, suggesting right-to-left brain asymmetry conversion, WMT enhances emotion regulation of drug abstiners. No main effect of picture type.
Grassini et al., 2020	Images depicting snakes, spiders, butterflies, and birds.	Investigating whether asymmetrical frontal activity is modulated by evolutionarily threatening stimuli.	34 students (28 female) R	Late frontal positive potential (f-LPP) asymmetry, but not alpha asymmetry was modulated by stimulus category, especially threatening stimuli led to large f-LPPs over right-frontal hemisphere; no effect in frontal alpha asymmetry for images.
Gayathiri et al., 2020	Neutral and high valence and arousal (HVHA) pictures from the International Affective Picture System (IAPS).	Major depressive disorder: analyze brain activity during emotional processing in depressed individuals.	15 adults suffering from major depressive disorder (7 male) NA	Higher relative right frontal activity (withdrawal) for viewing HVHA and neutral pictures compared to resting periods.
Adolph et al., 2017	Passively viewing negative, neutral, and positive emotional pictures.	Investigate the association of frontal asymmetry with attentional and emotional responses to approach- and avoidance-related emotional stimuli.	43 students (28 female) R	FAA for picture viewing was not different for picture type; greater right frontal activation was associated with increased N1 amplitudes and more negative subjective assessment of all stimuli.
Schöne et al., 2016	Erotic pictures (high salience to evoke approach motivation), pictures of dressed attractive women and control pictures (extreme sport and daily activities).	Explore whether alpha asymmetry can be elicited by brief affective motivational stimuli, as typically used in event-related designs.	17 male students NA	Relative alpha reduction on left hemisphere for erotic pictures and significant asymmetry for daily activity pictures.
Gable and Poole, 2014	Anger pictures and neutral pictures.	Explore influence of traits related to behavioral approach or avoidance on responses to anger- eliciting	32 introductory psychology students (15 female) R	No significant effect of picture type for alpha asymmetry; behavioral approach system scale predicted greater left-frontal asymmetry to anger

		stimuli using multiple measures: event-related potentials, electroencephalographic (EEG) alpha asymmetry and self-report.		pictures; larger LPPs related to larger left-frontal EEG asymmetry for anger pictures.
Uusberg et al., 2014	Affective pictures ranging from very pleasant to unpleasant.	Testing explanation that alpha asymmetry fails to emerge (especially for affective pictures) due to insufficient motivational intensity, and/ or overshadowing inter-individual differences within responses to emotional pictures.	70 students (28 male) NA	Stimuli did not induce expected asymmetry effects, even though systematic stimulus-dependent individual differences arose in self-reports and LPP amplitudes, asymmetry variability was dominated by stimulus-independent inter-individual differences.
Ischebeck et al., 2014	Neutral, aversive, and OCD-related pictures.	Exploring whether alpha asymmetry linked to approach/ avoidance, indexes risk for anxiety disorders and depression.	20 patients (9 male) with obsessive-compulsive disorder (OCD) and 20 matched healthy controls (8 male) R	Compared to the control group, OCD patients showed altered asymmetry, with frontal alpha power in the 8-10 Hz band being more dominant in the left hemisphere across all conditions, no significant differences in frontal alpha asymmetry during rest, negative, neutral, OCD- related pictures.
Poole and Gable, 2014	Approach-positive, approach-negative, and withdrawal-negative pictures from the internet and IAPS.	Illuminate whether frontal asymmetry is related to motivation or affective valence by examining frontal-lateralized late positive potentials (f-LPPs) and frontal cortical alpha power activation.	Forty-eight students (36 female) R	Approach-negative and withdrawal-negative pictures in comparison to neutral pictures did not evoke differences in frontal alpha asymmetry; f- LPP results support relation between asymmetric hemisphere activation and motivational direction rather than affective valence.
Huster et al., 2009	36 photographs from the IAPS in restricted randomized order- three pictures of the same affective category presented successively.	Investigate on minimum number of stimuli required for psychometrically stable outcomes.	28 students (13 female) R	Significant effects of affective picture category: negative affective stimuli relative to positive led to lower alpha power density, which was more pronounced in the right hemisphere.
Rabe et al., 2008	Four pictures (from IAPS) for one minute each of category neutral, positive, negative, and trauma-related.	Explore changes in neural processing through cognitive behavioral therapy (CBT) in patients with posttraumatic stress disorder (PTSD) following severe motor vehicle accidents.	Participants with PTSD/ subsyndromal PTSD receiving CBT (n = 17, 15 females) before and after a CBT program, wait-list controls (n = 18, 10 females) investigated before and after three months R	pre-treatment assessment: Increased right-sided activation during exposure to trauma-related picture (compared to neutral picture) observed in both CBT and wait-list subjects; post-treatment: Greater reduction of right frontal activation in CBT group relative to waitlist controls; in both groups PTSD symptom reduction was significantly correlated with a decrease in right frontal

				activation in response to the trauma stimulus.
Wiedemann et al., 1999	Neutral, panic-relevant, anxiety-relevant but panic-irrelevant, or anxiety-irrelevant but emotionally relevant pictures, and performance of a motor task.	Expectation of greater right than left frontal hemisphere activation for patients with panic disorder since they are characterized by negative emotions and avoidance-withdrawal behavior.	Patients with panic disorder without a diagnosis of depression (n=23, 3 male) and healthy control participants (n=25, 6 male) R	Right compared to the left frontal alpha power was significantly decreased during resting phases and when confronted with anxiety-relevant stimuli in patients with panic disorder, comparable frontal asymmetry for patient and controls during neutral picture viewing or performing a motor task.
Gable and Harmon-Jones, 2008	Pictures of dessert or neutral pictures of objects.	Explore the role of individual differences in emotive tendencies for positive stimuli and relation to regional brain activation.	26 female students R	Picture stimuli alone did not evoke asymmetrical frontal cortical activity, regression analysis showed more time since eaten (/dessert liking) was significantly correlated to higher relative left frontal activation for dessert pictures; for neutral pictures this was not the case.
Winter et al., 2016	Food images.	Investigate restrained eating and hedonic hunger in relation to frontal asymmetry.	58 female participants paid two visits: once fed once fasted R	No significant difference by hunger state in frontal asymmetry score, higher Power of Food scores were associated with increased left frontal asymmetry; higher Restraint Scores were associated with increased right frontal asymmetry, main effect for overweight individuals showing increased left asymmetry compared to normal weight.
Crabbe et al., 2007	Unpleasant, neutral and pleasant pictures, selected from IAPS before after rest/ exercise condition.	Examine effect of 30 min of cycling exercise compared to 30 min of rest on emotional responses to pictures.	34 volunteers (13 female) from university and surrounding (young, fit and active) R	Exercise did not alter frontal alpha asymmetry responses during picture viewing.
Cartocci et al., 2018	Six neutral images from IAPS, followed by ten ineffective, effective, and awarded anti-smoking Public Service Announcements (PSAs).	Investigating the response to differently effective anti-smoking PSAs in the young population (higher risk of developing tobacco addiction).	39 volunteers: 3 HS (heavy smokers), 11 LS (light smokers), 15 NS (non-smokers) NA	Main effect of smoking habit: non-smokers expressed lower frontal alpha asymmetry compared to HS and LS, effective PSAs led to increase in frontal alpha asymmetry for HS group compared to LS and NS, regression analysis for effective PSAs revealed a correlation between the number of cigarettes regularly smoked and relative frontal alpha asymmetry.
Papousek et al., 2018	Three sound recordings (90s each): anger/aggression, sadness/desperation,	Explore inter-personal differences in motivational responses to sound recordings of individual's desperation and aggression and its	62 university students (30 male) R	Anger: Higher antagonism levels displayed approach motivation (less relative right hemisphere activation), desperate crying: higher detachment levels showed

	neutral (reference).	relationship with DSM-5 personality traits.		withdrawal activation (greater relative right hemisphere activation).
Chen et al., 2015	Sound stimuli (scary and soothing).	Investigating responses to scary and soothing sound stimuli assessed by frontal alpha asymmetry and the emotion (AAE) and Comfort Vector (CV) models.	18 healthy students (16 male) divided into three groups based on their baseline frontal asymmetry NA	Scary sound stimulus: groups 1 and 3 displayed a decrease in frontal asymmetry (AAE) and in pleasantness (CV model); correlation between AAE and CV models for scary stimulus, but not for soothing stimulus.
Videos (n=15)				
Olszewska-Guizzo et al., 2021	Nine fixed-frame videos, filmed before the pandemic: busy downtown and residential green.	Investigating longitudinal changes in frontal alpha asymmetry due to COVID-19 pandemic and exploring the role of nature exposure on mental health and well-being.	25 healthy adult Singaporeans (14 female) R	Significantly higher frontal alpha asymmetry before pandemic compared to lockdown, landscape (video type) had no significant effect on frontal alpha asymmetry; decrease in frontal alpha asymmetry.
Joaquim et al., 2020	Emotion-eliciting commercials, two times respectively: neutral, tenderness, amusement, sadness, disgust, anger and fear.	Deeper understanding of human emotional states, exploration of deep learning techniques to analyze physiological data using a raw two-channel pre-frontal EEG and photoplethysmography.	25 male and female subjects NA	Trend in correlation between frontal asymmetry index (low alpha frequency band) and negative emotions evoked by commercials.
Zhao et al., 2018	Three film excerpts (standard emotional film database) to evoke three emotions: tenderness, anger, and neutrality.	Explore valence and motivational direction model of frontal alpha asymmetry.	37 students (17 males) R	Higher left frontal activation during tender film, hence tenderness (positive emotion) related to approach motivation; increased right frontal activation during anger-eliciting video, suggesting anger (negative emotion) associated with withdrawal motivation.
Cartocci et al., 2017	Spots and images of awarded, effective and ineffective antismoking public service announcements (PSAs).	Study responses to selected PSAs using EEG and auto-nomic signals.	22 young healthy subjects (7 non-smokers, 9 light-smokers, 6 heavy-smokers) NA	Increased approach withdrawal (AW) index for "awarded" video spot compared to "ineffective" one; AW index between the three image campaigns was not statistically different.
Papousek et al., 2014	Film comprising scenes of real injury and death.	Exploring relevance of individual differences in EEG alpha in response to emotional events.	148 female university students R	While watching the film the magnitude of EEG alpha asymmetry response correlated with transient heart rate in response to sudden horrifying events happening to people (withdrawal/avoidance motivation and increased attention), viewing video showing disaster led to shift of dorsolateral prefrontal asymmetry to the right side.

Prause et al., 2014	Neutral and a sexually motivating film.	Extend approach (/avoidance) motivation-model in response to pleasant, high- arousal, approach motivation, sexual stimuli, which may play an important role to reward system function.	65 participants (22 females) R	Decreased asymmetry score during sexual film compared to neutral film; positive relationship between self-reported sexual arousal and alpha asymmetry, EEG alpha power coherence was stronger in women.
Vecchiato et al., 2014	TV commercials.	Relate brain activity and autonomic parameters to estimate emotional valence, arousal and approach- withdrawal (AW) behavior in marketing contexts.	Experiment 1: 15 healthy volunteers (7 female); experiment 2: 24 subjects (12 female); whole sample divided into like and dislike groups, based on rated pleasantness score on clips. NA	Experiment 1: No alpha asymmetry assessed; experiment 2: Temporal variations in frontal alpha asymmetry show differences between young and old viewers, AW-index displayed two segments were significantly different between like and dislike group.
Hosseini et al., 2007	Movie clips from cinema and documentary repertoires to induce relaxation, happiness, anxiety and sadness.	Explore patterns of asymmetries in reaction to affective film stimuli for different personality groups (extroverts, introverts, neurotics and emotionally stables).	40 female students R	Patterns of activation were different between personality groups, partly consistent with approach-withdrawal model, right frontal asymmetry for introverts and emotionally stables in anxiety state.
Aftanas and Varlamov, 2004	Emotional film clips (neutral, relaxation, joy, anger, sexual arousal, disgust, fear, sadness, stress stimulation).	Examine the effect of alexithymia on regional brain activity during emotion-inducing videos.	Non-alexithymic (n =27, 7 male) and alexithymic (n = 17, 14 male) participants R	Alexithymics showed overall enhanced right hemispheric activity in response to positive and negative films, indicating avoidance motivation.
Hakim et al., 2021	Video commercials of six food products (3 x 6 commercials = 18 views).	Improve choice prediction for marketing research using EEG and machine learning, instead of self- reports alone.	33 (13 male) subjects NA	No significant difference for watching product commercials of distant rankings nor close mid-ranged rankings in alpha asymmetry.
Walsh et al., 2017	Videos of food concerns (safety, hygiene and spoilage) and matched control (no food concern).	Improve understanding of consumers' emotional response to food using implicit physiological tools next to traditional sensory techniques.	40 students (31 female) R	Significant difference between spoilage videos, with greater activation of the right hemisphere (withdrawal), no differences for hygiene and safety concern videos.
Hajal et al., 2017	Videos of own infants expressing distress.	Look at association between mothers' neural activity (frontal alpha asymmetry) and emotions (facial expressions) and their appraisal processes (parenting efficacy).	26 mothers of 5- to 8-month-olds R	Infant distress videos have led to increased right hemispheric activity, associated with longer sad and tense face expressions in mothers of average or lower parenting efficacy.

McGeown and Davis, 2018	Chips to eat and video of confederate eating (EEG recording), visual-probe task: 20 food (highest ratings on food cravings) and non-food items.	Investigate whether frontal alpha asymmetry moderates attentional bias (AB) to food and body mass index (BMI).	93 female students R	Significant association of higher AB towards food pictures and larger BMI for participants with left frontal alpha asymmetry, overweight individuals compared to others showed increased left frontal alpha asymmetry when watching the video, and greater AB towards food pictures.
Missana and Grossmann, 2015	Dynamic happy and fearful body expressions presented as point-light two second clips.	Perception of emotional body expressions evokes brain responses linked to motivational processes in infants.	20 four-month-old (10 female) and 20 eight-month-old (10 female) infants NA	Emotional expressions presented in upright orientation led to significant differences in frontal asymmetry responses for 8-month-olds only: greater lateralization to left hemisphere (approach) in response to happy expression, and greater lateralization to the right hemisphere (withdrawal) in response to fearful expressions.
Lee et al., 2017	Experiment 1: visual music as an emotional stimulus experiment 2: synthetic stimuli.	Explore emotional meanings of visual music and its underlying affective audio-visual integration mechanisms between different modalities.	Experiment 1: 16 people, experiment 2 with students divided into groups: audio-only (n=33), visual-only (n=27), original (n=42) and altered (n=53) visual music NA	EEG measured for experiment 1 only, where for visual music stimulus early phase (first 10s) frontal alpha asymmetry correlated significantly with perceived valence evaluation.
Real cues (n=11)				
Kline et al., 2000	Pleasant (vanilla), unpleasant (valerian), and neutral (water) odors.	Explore changes in frontal alpha asymmetry in response to odors.	58 women, aged between 58 and 70 NA	Vanilla compared to valerian and water induced relative left frontal activation; frontal alpha asymmetry was not different for valerian compared to water.
Kaneko et al., 2019	Drink samples: apple juice, orange juice, yogurt drink, milk, buttermilk, rooibos tea, black tea, cola, diluted vinegar.	Compare performance of explicit ratings, (neuro)physiological and behavioral measure in distinguishing drinks inducing different emotional experience.	70 healthy participants (19 men) NA	Valence and arousal ratings for vinegar solution were lowest and highest of all drinks hence suitable as ground truth, frontal alpha asymmetry: no significant difference hence not sensitive enough to distinguish between drinks.
Lagast et al., 2020	Universally accepted (sucrose) and non-accepted (caffeine) solution, a personally selected accepted and non-accepted drink, and plain water.	Exploring consumers' experience during drink-tasting by means of arousal (heart rate, electrodermal responses) and approach/withdrawal motivation (frontal alpha asymmetry).	32 participants NA	No significant difference when tasting different drinks was observed for frontal alpha asymmetry.

Sargent et al., 2020	Two machines to prepare hot beverage.	Explore body (electrodermal activity, EDA) and brain activity (EEG) correlates during hot beverage preparation, and consumption in a real office environment.	26 participants (14 females) R	Market leader's user interface had higher self-reported product preference supported by significant differences in arousal (EDA) and valence (EEG) during coffee production and drinking.
Brouwer et al., 2017	Cooking and tasting two stir-fry dishes (chicken and mealworms).	Investigate implicit food preferences and choices using neurophysiological measures.	41 participants (19 female) NA	Frontal alpha asymmetry results show constant effect of 'approach' for chicken and 'avoidance' for mealworms present throughout entire cooking and tasting session, in frying interval this effect was significant.
Olszewska-Guizzo et al., 2020	Six landscape scenes within two urban green spaces (park and neighborhood green space) and three scenes of a busy urban downtown (control).	Explore association between urban green space exposure and mental health.	22 adults (13 female) R	Trend: Increased frontal alpha asymmetry in park compared to control site, indicating more positive mood, trend for interaction between site and scene suggestive of individual site variability.
Knott et al., 2008	Induction neutral (holding a pen) or depressive (cigarette- cue exposure: holding lighted cigarette over an ashtray without bringing to mouth) mood.	Explore neural basis of evoked cigarette craving and variations due to induced depressed mood, gender differences and smoker type.	11 (5 male) regular and 11 (6 male) light smokers NA	Cigarette-cue exposure led to reduced left frontal alpha asymmetry (withdrawal), increased cravings and negative affect, especially in female and regular smokers.
Modica et al., 2018	Experiment 1: 15s visual and visio-tactile exploration (VE and VTE) of two daily food (major and private label) and two comfort food items (foreign and local product); experiment 2: 15s tactile exploration (TE), VE and VTE of four different comfort and daily foods, two local and foreign products (major or private brand).	Investigate cross-sensory (sight and touch) evoked EEG and the autonomic reactions over different products.	Experiment 1: n=19; experiment 2: n=13 (5 males) NA	Higher approach for comfort compared to daily food in VE and VTE, increased approach withdrawal (AW) index for foreign relative to local products during VE and VTE, but not in TE, higher AW for private relative to major label during VTE (experiment 2), greater AW and emotional index (EI) for foreign relative to local products during VTE, phases not significantly different.
Bolinger et al., 2020	Positive prompts: express love, play peek-a-boo and sing; negative	Characterize basic neurophysiological features behind affective function at	25 infant (-parent dyads), 12 females NA	Negative prompts induced strong right hemispheric increase in the prominence of the resonant frequency (~5–6

	prompts: pretend infant has a rash and crawled to an electrical outlet.	developmental age, where emotional expression emerges.		Hz) in the infant frontal EEG; asymmetry scores during the other states (positive and neutral) did not statistically differ from zero.
Uusberg et al., 2015	Degrees of social contact, varied by different gaze directions of a "live" model.	Anterior functional brain asymmetry has been linked to individual differences in affect and motivation, exploring its relation with the Five Factor Model personality traits.	40 students (13 male) R/L	Negative relation of neuroticism to anterior EEG asymmetry scores in response to direct gaze, indicating that greater levels of neuroticism were associated with relative right-sided functional brain asymmetry (avoidance).
Pönkänen and Hietanen, 2012	For the participants unknown faces of two young females, neutral and smiling with a direct and an averted gaze, presented "live" through a liquid crystal shutter.	Modulation of autonomic arousal and frontal EEG alpha-band asymmetry by facial expression (neutral vs. social smile) and direct vs. an averted gaze.	22 right-handed female undergraduates R	Gaze direction and facial expression did not affect frontal EEG asymmetry.
Games (n=5)				
Rodrigues et al., 2018	Move around freely in a virtual T maze via joystick, with monster trial (negative event) and sheep trial (positive event).	Investigation of theories: - motivational model - bilateral frontal activation part of behavioral activation system if actual behavior is shown - linked model of reinforcement sensitivity - here: Relative left frontal activation shows revised behavioral activation system and behavior, and relative right frontal brain activation indicates revised behavioral inhibition system, representing experience of conflict.	30 participants (12 male) R	Virtual reality task: Increased relative left frontal brain activation during approach behavior and greater relative right brain activation for withdrawal behavior of any kind; increased bilateral frontal activation when participants were engaged in behavior relative to doing nothing; frontal asymmetry represents behavioral approach or avoidance motivation, bilateral frontal activation representative for behavior, observable behavior determined by frontal asymmetry and relevant traits.
Shankman et al., 2007	Bogus computerized slot machine paradigm with three reels of numbers and fruit and two different payoff situations: reward (R) and no incentive (NI).	Depression characterized with reduced reward-seeking behavior (approach motivation) hence reduced left frontal activity, two neural systems of motivation and emotion hypothesized to be responsible for individual differences in emotional reactivity or affective styles.	70 individuals with current MDD (about 29% male) 37 control participants (about 34% male) R	No condition-dependent difference in hemispheric asymmetry among depressed compared to control; during the approach task control participants and individuals with late-onset depression showed increase in left frontal activity but individuals with early-onset depression did not.

Harmon-Jones et al., 2008	Cues indicating that an easy, medium, or hard anagram (scrambled word) would be presented and whether they would receive money or avoid losing money for the correct solution.	Dysregulation theory of bipolar disorder: Individuals with bipolar disorder would display greater relative left frontal activity in response to goal striving, especially positive challenges.	Individuals with bipolar spectrum diagnosis (n=41, 61% female) and individuals with no major affective psychopathology (n=53, 49% female) R	Individuals with bipolar disorder compared to non-bipolar individuals showed higher relative left frontal activation in preparation for the hard/win trials, non-bipolar individuals showed a decrease in left frontal cortical activation from medium to hard win trials, when bipolar individuals did not; also bipolar individuals' self-reported activation was related to more left frontal activation for the hard/win trials.
Miller and Tomarken, 2001	Delayed reaction time task including manipulations of incentive, expectancy, and response.	Clarify psychological functions associated with frontal brain asymmetry.	60 students (30 male) R	Variations in monetary incentives led to changes in frontal alpha asymmetry, higher relative left alpha suppression during reward compared to punishment conditions; manipulations of expectancies related to mid-frontal EEG changes, which were different for men and women.
Sobotka et al., 1992	Responding to displayed up or downward pointing arrows using finger press or finger lift response.	Effect of manipulations of reward and punishment contingencies on brain's electrical activity.	15 students (7 male) R	Reward trials associated with less alpha power in left frontal regions compared to punishment trials, which were associated with less alpha power in the right frontal regions.
Other tasks (n=12): Imagery (n=4), modifying facial expression (n=2), speech, reading and writing (n=6)				
Mennella et al., 2015	Imagery task including pleasant, neutral, and unpleasant narratives.	Investigating influence of dysphoria on anterior and posterior sites during emotional task.	Dysphoric (n=23) and non-dysphoric (n=24) individuals R	Group with dysphoria showed reduced left cortical activity at anterior sites irrespective of emotional condition, at posterior sites they showed reduced rather than increased right parietal activity during unpleasant imagery compared to non-dysphoric individuals. The authors relate this to hemispheric functional differences at anterior sites with respect to verbal and visuo-spatial processing.
Wacker et al., 2008	Emotional imagery scripts of three scenarios of approach-avoidance conflict (approach a fear-provoking object/situation to get to a desired goal).	Compare widely adopted model with alternative relating left anterior region to behavioral activation independent of direction of behavior (approach or withdrawal) and right anterior region to goal conflict-induced behavioral inhibition.	93 young men either high or low in trait behavioral inhibition system sensitivity R	High BIS sensitivity group had a significant change toward right-sided activation from pre-stimulus to imagery phase, results in favor of behavioral activation and inhibition model.
Wacker et al., 2003	Emotional imagery.	Disentangle influences of emotion and motivational direction	109 active, male soccer players R	Irrespective of MOT, anger compared to fear led to larger changes toward relative left

		(MOT) on frontal alpha asymmetry.		frontal activation (LFA); higher negative valence ratings were associated with greater changes toward LFA in withdrawal but with larger changes toward relative right frontal activation in approach.
Papousek et al., 2017	Reappraisal Inventiveness Test with anger-eliciting vignettes.	Correlation of frontal EEG alpha asymmetry with capacity for cognitive reappraisal in terms of the participants' inventiveness in generating alternative appraisals of anger-evoking events as compared to generating alternative uses for conventional, emotionally neutral objects.	78 female university students of different faculties R	Individuals with higher capacity for generating cognitive reappraisals showed increased left- lateralized activity in lateral pre- frontal cortex – no effect between the two emotional conditions.
Stewart et al., 2014	Facial emotion task - make approach (angry and happy) and withdrawal (afraid and sad) facial expressions.	Testing whether brain activity during emotional challenge will be a more powerful indicator of predispositions toward psychopathology than activity observed at rest.	Individuals with (MDD+, n=143) and without (MDD-, n=163) lifetime major depressive disorder (MDD) R	MDD+ group displayed relatively less left frontal activity than life- time MDD- group during approach condition as well as withdrawal condition; current-source density transformed asymmetry indicative of lifetime MDD status under resting and task-elicited conditions.
Coan et al., 2001	Producing facial configurations denoting anger, disgust, fear, joy, and sadness.	Emotion eliciting potential of voluntary facial movement and approach-withdrawal model are investigated.	36 students (10 male) R	Facial poses of emotions in the withdrawal condition compared to approach and control conditions led to relatively less left frontal activation; approach condition less supportive of approach-withdrawal model.
Pérez-Edgar et al., 2013	Dot-probe paradigm with face pairs depicting angry, happy, and neutral emotional expressions and stressful speech condition.	Frontal EEG asymmetry patterns at rest and under social threat among young adults.	45 students (23 male) R/L	Increased right frontal alpha asymmetry difference (from baseline to stressful speech condition) associated with attentional bias to angry faces and avoidance of happy faces.
Wang et al., 2015	Give public speech.	Explore neural electrical changes correlated with expressive writing in a reappraisal approach.	92 university students, divided into three groups: reappraisal writing, irrelevant writing, non-writing R	During writing manipulation reappraisal group showed lower frontal alpha asymmetry scores but following re-exposure to stress they showed higher frontal alpha asymmetry scores than irrelevant writing group; frontal alpha asymmetry of non- writing group did not change significantly across different stages.

Li et al., 2016	Writing task describing an anger-eliciting event, where participants were irritated by people with higher or lower social power.	Explore neural mechanism behind power and its influence on expression tendency.	29 students (13 male) R	High social power was associated with increased anger expression tendency and greater left frontal activation compared to low social power.
Rejer and Jankowski, 2017	Internet advertisements during a text-reading task.	Effect of the interruption on a web user is analyzed directly by studying brain activity.	6 subjects (5 male) R	Advertisement presentation induces changes in the frontal/pre-frontal asymmetry index, direction of change differed among the subjects.
Brouwer et al., 2015a	Reading a novel with emotional and non-emotional sections.	Examine physiological signals during the reading of a novel or other long text.	71 participants (35 female) NA	On average greater frontal alpha asymmetry for high than low emotional sections at F7/F8.
Brooker et al., 2016	Three emotion-eliciting episodes (conversation with experimenter, with stranger, stranger reading a script).	Test degree to which early maternal negativity affects physiological systems associated with coping response.	89 longitudinal twin sample (around 54% male) R	Children showed greater left frontal alpha asymmetry during conversation episodes relative to stranger script episode, significant sex differences.