

Unifying Terminologies Toward a Shared HHAi Vocabulary

Maaïke H. T. DE BOER ^{a,1}, Myrthe L. TIELMAN ^b, Ilaria TIDDI ^c,
Victor DE BOER ^c, Davide DELL'ANNA ^g, Stephanie KRAMER ^d, Janin KOCH ^e,
André MEYER-VITALI ^f, Chiara NATALI ^c, Michel OEY ^d, Janet RAFNER ⁱ,
Jacob SHERSON ^h, Francesca URGESE ^c, Michael VAN BEKKUM ^a and
Thomas SCHMID ^j

^aTNO, The Netherlands

^bTU Delft, The Netherlands

^cVrije Universiteit Amsterdam, The Netherlands

^dAmsterdam University of Applied Sciences, The Netherlands

^eUniv. Lille, Inria, CNRS, France

^fDFKI, Saarbrücken, Germany

^gUtrecht University, The Netherlands

^hCenter for Hybrid Intelligence, Aarhus University, Denmark

ⁱUniversity of Southern Denmark, Denmark

^jMartin Luther University Halle-Wittenberg, Medical Faculty, Halle (Saale), Germany;
Martin Luther University Halle-Wittenberg, Institute of Computer Science, Halle
(Saale), Germany; University Hospital Halle, Research Center Data Analytics, Halle
(Saale), Germany; Lancaster University Leipzig, Leipzig, Germany; Lancaster
University, Data Science and AI Institute, Lancaster, United Kingdom

Abstract. As the field of Hybrid Human-Artificial Intelligence (HHAI) grows, various efforts have emerged to define its core terminology. This poster presents initial results from an interactive, international workshop aimed at consolidating these efforts into a cohesive, unified vocabulary. We present the key elements of this vocabulary, i.e. (i) actors and teams, (ii) processes and tasks, (iii) methods and metrics, and discuss the implications of this terminology for the design of human-AI (HI) systems. We believe that a well-defined shared vocabulary will serve in the long-run as a catalyst for exchange and collaboration across the research community.

Keywords. Hybrid Human-Artificial Intelligence, Terminology, Unified Vocabulary

1. Introduction

Various efforts to establishing the core terms to design collaborative human-AI (HI) systems have been proposed in the Hybrid Human-Artificial Intelligence (HHAI) community [1,2,3,4,5,6]. We brought together these disjoint efforts and worked toward a cohesive, unified vocabulary to be shared among the HHAi community. This poster reports the results of the interactive workshop where this vocabulary was consolidated.

¹Corresponding Author: Maaïke H.T. de Boer, maaïke.deboer@tno.nl.




Figure 1. Overview of HI Actors and Teams. Red boxes indicate the core concepts (actors & teams). The blue concepts overlap with those in Processes & Tasks in Figure 2, grey boxes give examples of instantiations of concepts.

2. A Unified Terminology for HHAI

We describe three key components to design a collaborative human-AI (hybrid intelligence, or HI) system: (i) actors and teams, (ii) processes and tasks, (iii) methods and metrics.

Actors and Teams. At its core, a HI system includes a joint team of interacting humans and artificial agents [7,8]. *Actors* in a HI system include at least one human and one AI agent. Among them, there needs to be some form of meaningful interaction or collaboration for it to be considered as a team. A *HI team* is then a group of actors gathered around a shared (short-term) project or objective. This term allows to incorporate the various team concepts found in the literature, including e.g. individual (one actor), dyad (two actors), and team (more than two actors) [1,2,3,4,5,6].

Figure 1 provides an overview that describes actors and teams within the HHAI literature. Actors have a type, capabilities, and access to certain information. In addition, there are different terms to describe how they interact with other actors. Initiative, agency and leadership role, as well as autonomy, authority, responsibility and accountability all influence the interaction, and are related to the actor’s role. Actors exhibit trust, bias and preferences [9]. Meanwhile, teams have a life span, scale, composition and context, and contain diversity.

Note that many terms that we use here originate from philosophy, psychology, or sociology and aimed at describing human concepts and behaviours. It is clear that human and artificial intelligences are of different kinds and qualities. Similarly, concepts such as agency, autonomy, knowledge, trust, beliefs, desires, or intentions are different. Nevertheless, it may be necessary to either re-define or extend these terms, highlighting the differences while facilitating the discussion of symmetrical relationships.

Processes and Tasks. Figure 2 shows processes and tasks summarizing previous work [1,2,3]. A *task* as a set of goals or objectives. Tasks may have inputs, outputs, restrictions (constraints), and potential subtasks. A *process* is a series of actions which implements




Figure 2. Overview of HI tasks and processes. Rectangles indicate the main terms. Arrows indicate relations between the terms.

tasks. Agents have capabilities, which are linked to possible tasks [3], as is further explained. Tasks include generation, training, engineering, transformation, reasoning, inference, induction, deduction, abduction, classification, predication, recognition, regression, action, perception, decision making, knowledge aid and movement [1,3]. Each task can be executed by multiple processes.

It is good to note that there is some overlap between how we characterize actors, especially in how they interact with other actors, and the processes they are involved in. For instance, leadership structures originate from roles of actors, but influence the process of decision making.

Methods and Metrics. Methods for HI systems can be roughly divided into design, building, and evaluation methods. *Design methods* allow to conceptualize and design of a system. These include e.g. boxologies, ontologies, co-active design, co-design frameworks, participatory design methods. *Building/Implementation Methods* allow to implement AI components or team interactions. These range from control-oriented (formal, normative, and constraining) to appropriation-oriented (heuristic, flexible, and user-centric). *Evaluation methods* measure the success of the HI system as a whole. All methods can be further characterized by their scope (component-specific or holistic) and the level of stakeholder involvement (human or machine).

Success criteria for HI systems include qualitative and quantitative metrics. These are divided into three categories: *Component-based metrics* focus on the individual actors of the HI system. Human metrics include behavioural, cognitive, and physical features, knowledge of AI, and attitude towards AI. AI metrics include statistical performance, sample efficiency and anthropomorphism. *Interaction-based* metrics focus on measuring the collaboration, interaction and processes within the team, including interdependency/competency metrics, initiative/co-creation metrics and collaborative effectiveness/performance metrics. *Holistic* metrics are situated and long term. They focus on the broader socio-economic effects of the HI system once situated and deployed in the operative environment. Metrics include ethics-based, governance-based and long-term appropriation.

Acknowledgements

This publication is part of ‘Hybrid Intelligence: augmenting human intellect’ (<https://hybrid-intelligence-centre.nl>), (024.004.022), (partly) financed by the Dutch Research Council (NWO). We would also like to thank Ben Wilson and Enrico Daga for their contribution.

References

- [1] van Bekkum M, de Boer M, van Harmelen F, Meyer-Vitali A, Teije At. Modular design patterns for hybrid learning and reasoning systems: a taxonomy, patterns and use cases. *Applied Intelligence*. 2021;51(9):6528-46.
- [2] Davis N, Sherson J, Rafner J. The co-creative design framework for hybrid intelligence. In: *Proceedings of the 2025 Conference on Creativity and Cognition*; 2025. p. 560-72.
- [3] Tiddi I, De Boer V, Schlobach S, Meyer-Vitali A. Knowledge engineering for hybrid intelligence. In: *Proceedings of the 12th Knowledge Capture Conference 2023*; 2023. p. 75-82.
- [4] Wilson B, Natali C, Roach M, Scott D, Rahat A, Rawlinson D, et al. Dimensions of Human-Machine Combination: Prompting the Development of Deployable Intelligent Decision Systems for Situated Clinical Contexts: B. Wilson et al. *Computer Supported Cooperative Work (CSCW)*. 2025;34(2):425-81.
- [5] Van Zoelen E, Mioch T, Tajaddini M, Fleiner C, Tsaneva S, Camin P, et al. Developing team design patterns for hybrid intelligence systems. In: *HHAI 2023: Augmenting Human Intellect: Proceedings of the Second International Conference on Hybrid Human-Artificial Intelligence*. SAGE Publications 1 Oliver's Yard, 55 City Road, London, EC1Y 1SP; 2023. p. 3-16.
- [6] Verhagen RS, Neerincx MA, Yang XJ, Tielman ML. Advancing Human-Machine Teaming: Definitions, Challenges, Future Directions. In: *HHAI 2025*. IOS Press; 2025. p. 49-59.
- [7] Meyer-Vitali A, Mulder W, de Boer MHT. Modular Design Patterns for Hybrid Actors. In: *Cooperative AI Workshop*. vol. 2021 of *NeurIPS*; 2021. Available from: <http://arxiv.org/abs/2109.09331>.
- [8] Meyer-Vitali A, Mulder W. Trustworthy Hybrid Team Decision-Support Systems. 7607. *EasyChair*; 2022. Available from: <https://easychair.org/publications/preprint/jRqf>.
- [9] Tielman ML, Bailey M, Frattolillo F, Jorge CC, Ulfert AS, Meyer-Vitali A. Multidisciplinary Perspectives on Human-AI Team Trust. *Interaction Studies*. 2026 Feb;26(2):164-99. Available from: <https://www.jbe-platform.com/content/journals/10.1075/is.24048.tie>.